LAMPORNU.SE PROFESSIONAL

LED Broschyr
Höst / Vinter 2023

✔ Exklusiva erbjudanden för dig som **installatör** ✔ Brett sortiment av **kvalitetsprodukter**

LED armaturer, ljuskällor & tillbehör

För dig som Professional!



NOXION Best in class lighting · OSRAM · PHILIPS · LEDVANCE

www.lampornu.se · 08-44687012 · pro@lampornu.se

Lampornu.se - Mer än en vanlig belysningsgrossist

Hos Lampornu hittar du produkter av hög kvalité till vassa priser. Oavsett om du är elektriker och installatör eller ett företag i behov av ny belysning, är vårt mål att förse dig med hållbar och energieff ektiv LED belysning från kända varumärken. Att sätta dig och dina behov i fokus är vår högsta prio! Med över 30 år i branschen och med fler än 10.000 produkter i sortimentet, kan vi se till att du får exakt det du och dina kunder behöver.



Jeanette Geertsen
Account manager

"Vi vill att du ska fokusera på det som är viktigt: din belysningslösning! Det är därför vi erbjuder dig som Professional konkurrenskraftiga priser och vår bästa service"



Emma Carlson
General Manager

"Vi vill göra vardagen lättare för våra installatörer. Förse dom med goda råd och produkter av hög kvalitét som är enkla att installera"



Ole Ragnar
Account manager


"Med vår kompetens och erfarenhet kan vi skräddarsy lösningar utifrån dina behov. Med fullt fokus på dig som kund, kan du känna dig trygg med att göra affärer med oss!"

Nya möjligheter med ditt Professional konto!

- Som Professional får du tillgång att se **lagersaldo för varje önskad produkt**
- Din **personliga account manager** svarar på alla dina frågor i ljusets hastighet
- **Order på faktura** (efter snabb kreditprövning)
- Begär en offert, se aktuell status och godkänn - **online 24/7**
- **Ladda ner personlig dokumentation** om ditt projekt
- **Dina stora beställningar** levereras till önskad adress och tidpunkt

LAMPORNU.SE
PROFESSIONAL






Ett urval av våra tjänster




Vi hjälper dig med **skräddarsydda belysningsprojekt**.



Du kan enkelt **ladda ner våra belysningsplaner utan kostnad**.



Du får en **personlig account manager**, som ger dig råd genom hela processen.



Cosmicnode - smart trådlös belysning hjälper dig att spara på energikostnader.



Vi **special-designar armaturer** ut efter dina önskemål och projekt.



Du kan enkelt användta vår **LED-kalkylator** och räkna ut dina energikostnader.



Du kan enkelt begära en **offert helt utan kostnad**.



Tillgång till **kompatibilitetslistor**, perfekt för dig som installatör

Läs mer om våra tjänster på

lampornu.se/lampornu-service

Våra tidigare projekt




Reklambyrå

Ster Reclame är en Holländsk reklambyrå. I detta projekt var fokusen på att skapa en trivsam, lyxig atmosfär i varje rum. Med special-designade armaturer lyckades vi skapa exakt den känslan de var ute efter.

Kontor, mötesrum & restaurang

Bond Concepts är ett allt-i-ett-kontorshotell med kontorslokaler, mötesrum och restaurang. Målet var att installera en energieffektiv, lämplig och hållbar belysningsplan som förmedlar rätt atmosfär i alla typer av utrymmen.



Byggvaruhus

Gamma är ett stort byggvaruhus i Nederländerna & Belgien. I detta projekt var målet att förse Gamma med energieffektiv, säker och hållbar LED belysning.





Lager & logistik

Polytec ville byta till LED på grund av alla fördelar jämfört med konventionell belysning. LED lampor kräver ingen uppstartstid och lyser med full effekt direkt vid tändning, vilket är både säkert och praktiskt för de anställda!



Kontor

Önskan var att ha den mest energieffektiva belysningen i deras kontor. Med ett smart LED-system mäter armaturerna av både kroppsvärmen hos människorna & mängden ljus som kommer in, ljuset justerar sig baserat på dessa värden.



Mataffär


I detta projekt installeras Noxion armaturer.
”Er tillgänglighet när det gäller att lösa frågor eller problem har gjort att ni sticker ut som en pålitlig samarbetspartner ”
- Kajsa Ekblad, VD & Grundare, GreenMoral

Innehållsförteckning

LED Armaturer


Paneler p.06


Vattentäta LED armaturer p.12



Lysrörsarmatur p.18


Övriga armaturer p.19


Systemarmatur p.20


Highbays p.23

LED Armaturer


Ljusslinga p.51


Smart belysning p.53

LED Lampor


Urladdningslampor p.77


CFL p.71


GX53 p.73


GU10 p.74


GU4 p.77


GU5.3 p.78

LED Lampor


E27 p.84


P45 p.86



Kronljus p.87


Dimtone p.88


Reflektor p.89


Vintage p.89


Strålkastare p.27


Utomhus belysning p.32


Bulkheads p.36


Downlights p.40


Infälld spotlight p.44


Spår-belysning p.48

LED Lysrör


T5 Lysrör p.57


T8 Lysrör EM / AC p.60


T8 Lysrör HF p.64


T8 Lysrör UN p.65

LED Lampor


GY6.35 p.79


Stiftsockellampen p.80


R7s p.81


Ar111 p.82


B22d p.83


Stick-formade Lampor p.83

Tillbehör & Nödbelysning


Tillbehör p.95


Nödbelysning p.96



LED Paneler

Noxion LED Panel Delta Pro V4.0 & V3.0

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-15°C - 40°C	80	0.95



Art. n°	Description
	V4.0 UGR<19
247183	29W 3700lm 3000K 60x60
247184	29W 4000lm 4000K 60x60
247186	29W 3700lm 3000K 30x120
247187	29W 4000lm 4000K 30x120
	V4.0 UGR<22
247185	29W 3700lm 3000K 60x60
247625	29W 3700lm 3000K 30x120
247627	29W 4000lm 4000K 30x120
	V3.0 UGR<19
242012	30W 3960lm 3000K 60x60
242013	30W 4070lm 4000K 60x60
242014	30W 3960lm 3000K 30x120
242015	30W 4070lm 4000K 30x120
	V3.0 UGR<22
242008	30W 3960lm 3000K 60x60
242009	30W 4070lm 4000K 60x60
242011	30W 4070lm 4000K 30x120



Noxion LED Panel Delta Pro V3.0 Highlum

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 40°C	80	0.92



Art. n°	Description
242016	36W 4840lm 3000K 60x60
242018	36W 4840lm 3000K 30x120
242017	36W 5060lm 4000K 60x60
242019	36W 5060lm 4000K 30x120



Noxion LED Panel Louvre G2

L80	Warranty	IP	IK	°C	CRI	PF
70000h	5 years	20	02	-20°C - 50°C	80	0.9

Art. n°	Description
	UGR<15 CCT
246169	34W 3550lm 3000-4000K CCT 60x60 Polish
246170	34W 3450lm 3000-4000K CCT 30x120 Polish



5 · UGR <15 · KEMA KEUR · 05 · LED Chips EPISTAR

Noxion LED Panel Ecowhite V3.0 & V2.0

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-10°C - 40°C	80	0.92


Art. n°	Description
	UGR<19
245741	36W 3600lm 3000K 60x60 V3.0
245743	36W 3600lm 4000K 60x60 V3.0
245115	36W 3700lm 6500K 60x60 V2.0
241927	36W 3600lm 3000K 30x120 V2.0
245119	36W 3600lm 4000K 30x120 V3.0
245121	36W 3700lm 6500K 30x120 V2.0
	UGR<22
245740	36W 3700lm 3000K 60X60 V3.0
245742	36W 3800lm 4000K 60x60 V3.0
245744	36W 3800lm 6500K 60x60 V3.0
245116	36W 3700lm 3000K 30x120 V2.0
245118	36W 3800lm 4000K 30x120 V2.0
241930	36W 3800lm 6500K 30x120 V2.0
	Other sizes UGR<22
242061	15W 1500lm 4000K 30x30 V2.0
242062	23W 2300lm 4000K 30x60 V2.0
242063	72W 7200lm 4000K 60x120 V2.0



UGR <19 · UGR <22

Version V3.0 : External panel driver
Version V2.0 : Driver integrated into panel

Noxion LED Panel Accessories



Model	Description	Highlum / Delta pro V3	Ecowhite V3.0	Ecowhite V2.0	Delta pro V4
A	Surface Mounted Kit 60x60	223688	-	-	247630
B	Surface Mounted Kit 30x120	-	-	-	247631
A	Surface Mounted Kit 30x30	-	239362	239362	-
B	Surface Mounted Kit 30x60	-	239363	239363	-
B	Surface Mounted Kit 60x120	-	239364	239364	-
C	Surface Mounted Kit Fast slide 30x120	232546	-	232546	-
C	Surface Mounted Kit Fast slide 60x60	232545	-	232545	-
D	Removable surface mounted kit 60x60	246061	246061	246061	-
D	Removable surface mounted kit 30x120	246062	246062	246062	-
E	Suspension Kit	-	236958	236958	247592
F	Mounting Clips	-	236959	236959	
G	Security cable | 60x60	-	-	-	247593
G	Security cable | 30x120	230777	-	-	247593

Ledvance LED Panel Value

L70	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	40	03	-10°C - 45°C	80	0.9

Art. n°	Description
	UGR<19
237693	36W 3600lm 3000K 60x60
237694	36W 3600lm 4000K 60x60
243681	36W 3240lm 4000K 60x60 TPB
	UGR<22
237687	36W 3600lm 3000K 60x60
237688	36W 3600lm 4000K 60x60
237689	36W 3600lm 6500K 60x60

LEDVANCE

UGR <19 · UGR <22 · DALI

Ledvance LED Panel Compact

LEDVANCE


L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20/40	02	-10°C - 45°C	80/90	0.9

Art. n°	Description
	UGR<19 & CRI 80
246960	33W 3630lm 3000K 60x60
246967	33W 3630lm 4000K 60x60
247004	33W 3630 4000K 30x120
246971	33W 3630lm 6500K 60x60
247015	53W 5830lm 4000K 60x120
	UGR<19 & CRI 90
246976	30W 3120lm 4000K 60x60
246982	35W 3630lm 4000K 60x60
247010	35W 3640 4000K 30x120
	UGR<22 CRI 80
246943	33W 3630lm 3000K 60x60
246950	33W 3630lm 4000K 60x60
246997	33W 3630 4000K 30x120
246954	33W 3630lm 6500K 60x60

5 · UGR <19 · UGR <22 · CRI90

Ledvance LED Panel Accessories

LEDVANCE





Description	Compact	Value
Surface Mounted Kit 60x60 (A)	239196	237915
Surface Mounted Kit 30x120 (B) (Height 50mm)	234219	-
Surface Mounted Kit 30x120 (B) (Height 70mm)	-	246908
Recessed Frame Kit 60x60 (C)	-	237926
Recessed Frame Kit 30x120 (D)	239358	-
Suspension Kit 120 cm (E)	234220	234220
Security cable 1m (F)	239692	239692
Mounting Clips (4pcs) (G)	238308	238308

Philips LED Panel Coreline RC132V

PHILIPS

L75	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	03	-10°C - 35°C	80	0.9



Art. n°	Description
	RC132V - UGR<19
246282	28,5W 3400lm 3000K 60x60
246042	28,5W 3600lm 4000K 60x60
246318	28,5W 3600lm 4000K 30x120
246379	34,5W 2900/3400/4000lm 3000K 60x60
246032	34,5W 3100/3600/4300lm 4000K 60x60
	RC132V - UGR<23
246035	28,5W 3400lm 3000K 60x60
246041	28,5W 3600lm 4000K 60x60
246039	28,5W 3600lm 4000K 30x120
246031	34,5W 3100/3600/4300lm 4000K 60x60

5 · UGR <19 · UGR <22

Philips LED Panel Ledinair RC065B

PHILIPS

L75	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 35°C	80	0.9



Art. n°	Description
	RC065B - UGR<19
243178	34W 3400lm 3000K 60x60 (4x18W)
239952	34W 3400lm 4000K 60x60 (4x18W)
239953	34W 3400lm 6500K 60x60 (4x18W)
	RC065B - UGR<22
243177	34W 3400lm 3000K 60x60 (4x18W)
238237	34W 3400lm 4000K 60x60 (4x18W)
239951	34W 3400lm 6500K 60x60 (4x18W)

5 · UGR <19 · UGR <22



LED Lysrörsarmaturer

Noxion LED Waterproof Batten Pronox V2.0 & V3.0

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	10	-20°C - 45°C	80	0.9





Description	Standard	Emergency	Sensor	Sensor + Emergency	Dali
Pronox V2.0					
18W 2500lm 6500K 60cm	241613	244214	-	-	-
18W 2500lm 6500K 120cm	241625	244226	-	-	-
30W 4200lm 4000K 120cm	241615	244216	-	-	-
25W 3500lm 4000K 150cm	241617	244218	-	-	-
25W 3500lm 6500K 150cm	241618	244219	-	-	-
43W 6000lm 4000K 150cm	241619	244220	240963	246229	246184
55W 7700lm 4000K 150cm	241621	244222	-	-	-
55W 7700lm 6500K 150cm	241622	244223	-	-	-
65W 9100lm 4000K 150cm	241623	240962	240964	-	246185
65W 9100lm 6500K 150cm	241624	244225	-	-	-
Pronox V3.0					
11/13/15/18W 3000/4000/6500K 60cm	247473	-	-	-	-
18/22/26/30W 3000/4000/6500K 120cm	247474	-	-	-	-
35/43/55/65W 3000/4000/6500K 150cm	247475	247476	247477	-	247478

More information about Sensor :

- **Ajdustable detection area from 50% - 100%**
- **Hold time : 5s ~ 5min**
- **Stand-by time : 0s - 30s - 5min - always**
- **Stand-by dim level : 10% - 30%**
- **Daylight sensor 2 lux ~ 50lux - disable**

Philips LED Waterproof Batten Coreline WT120C

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-20°C - 35°C	80	0.95



Art. n°	Description
204495	LED18S 15W 1900lm 840 60cm
200304	LED22S 22W 2700lm 840 120cm
234660	LED34S 25W 3400lm 840 150cm 3x through wiring
	Generation 2
234659	LED27S 21W 2700lm 840 120cm 3x through wiring
164059	LED34S 25W 3400lm 840 150cm
164007	LED40S 30W 4000lm 840 120cm
234661	LED40S 30W 4000lm 840 120cm 3x through wiring
200095	LED60S 42,9W 6000lm 840 150cm
225517	LED60S 44W 6000lm 840 150cm 3x through wiring
237236	LED60S 49W 6000lm 840 150cm Emergency
235563	LED80S 60W 8000lm 840 150cm 3x through wiring
235561	LED80S 61W 8000lm 840 150cm DALI
235562	LED80S 68W 8000lm 840 150cm
	Motion sensor MDU
237295	LED27S 22W 2700lm 840 120cm
237310	LED34S 26,5W 3400lm 840 150cm

5 · IP65 · IK08 · 3H

Ledvance LED Waterproof Batten Damp Proof

LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	08	-20°C - 40°C	80	0.9



Art. n°	Description
236365	9W 1080lm 840 60cm
236364	18W 2160lm 840 60cm
236360	20W 2400lm 840 120cm
236362	25W 3000lm 840 150cm
236361	40W 4800lm 840 120cm
236363	50W 6000lm 840 150cm

IP65 · IK08 · DALI

Noxion LED Waterproof Batten Ecowhite V3.0

NOXION

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	10	-20°C - 40°C	80	0.9



Art. n°	Description
247463	20W 2400/2600lm 3000/4000/6500 60cm
247464	24 / 36W 2900/3120lm - 4320/4680lm 3000/4000/6500K 120cm
247465	36 / 50W 4300/4680lm - 6000/6500lm 3000/4000/6500K 150cm

IP65 · IK10 · CCT · KEMA KEUR 05

Noxion LED Waterproof Batten Ecowhite V3.0 & V2.0

NOXION

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	10	-20°C - 40°C	80	0.9



Art. n°	Description
241806	24W 2800lm 6500K 120cm (1x36W)
246125	36W 4200lm 6500K 120cm (2x36W)
246126	36W 4200lm 4000K 150cm (1x58W)
246051	36W 4200lm 6500K 150cm (1x58W)
246052	50W 5800lm 4000K 150cm (2x58W)

IP65 · IK10 · KEMA KEUR 05

Philips LED Waterproof Batten Ledinaire WT060C

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	66	08	-20°C - 45°C	80	0.9



Art. n°	Description
238191	LED18S 15W 1800lm 840 60cm
238192	LED36S 30W 3600lm 840 120cm
246315	LED36S 30W 3600lm 865 120cm
238194	LED56S 46W 5600lm 840 150cm
238196	LED56S 46W 5600lm 865 150cm
	1x Through Wiring
238193	LED36S 30W 3600lm 840 120cm TW1
238195	LED56S 46W 5600lm 840 150cm TW1

IP66 · IK08

Ledvance LED Batten DamProof SlimValue

LEDVANCE

L70	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	08	-20°C - 40°C	80	0.9



Art. n°	Description
232761	36W 4000lm 4000K 120cm
232762	36W 4000lm 6500K 120cm
232763	50W 5500lm 4000K 150cm
232764	50W 5500lm 6500K 150cm

IP66 IK08

Noxion LED Batten Batline T5

NOXION

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-15°C - 40°C	80	0.5



Art. n°	Description
245209	5W 450lm 3000K 30cm
245210	5W 450lm 4000K 30cm
245211	5W 450lm 6500K 30cm
245212	9W 810lm 3000K 60cm
245213	9W 810lm 4000K 60cm
245214	9W 810lm 6500K 60cm
245215	12W 1080lm 3000K 90cm
245216	12W 1080lm 4000K 90cm
245217	12W 1080lm 6500K 90cm
241583	16W 1440lm 3000K 120cm
245219	16W 1440lm 4000K 120cm
241585	16W 1440lm 6500K 120cm
241586	20W 1650lm 3000K 150cm
245222	20W 1800lm 4000K 150cm
241588	20W 1800lm 6500K 150cm
	CCT
247468	4W 480/530/520lm 3000/4000/6500K 30cm
247469	6W 990/1080/1050lm 3000/4000/6500K 60cm
247470	11W 1340/1470/1440lm 3000/4000/6500K 90cm
247471	15W 1855/2020/1980lm 3000/4000/6500K 120cm
247472	19W 2370/2580/2500lm 3000/4000/6500K 1500cm

Ledvance LED Batten Linear Compact Switch

LEDVANCE

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-10°C - 40°C	80	0.5



Art. n°	Description
234131	4W 400lm 3000K 30cm
234132	4W 400lm 4000K 30cm
234133	8W 800lm 3000K 60cm
234134	8W 800lm 4000K 60cm
234135	12W 1200lm 3000K 90cm
234136	12W 1200lm 4000K 90cm
234129	14W 1400lm 3000K 120cm
234130	14W 1500lm 4000K 120cm

5 IK08

Philips LED Batten Ledinaire BN021C

PHILIPS

L70	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-20°C - 40°C	80	0.9

Art. n°	Description
243483	LED5S 5W 480lm 3000K 30cm
243484	LED5S 5W 540lm 4000K 30cm
243475	LED10S 10W 960lm 3000K 60cm
243476	LED10S 10W 1050lm 4000K 60cm
243477	LED14S 15W 1450lm 3000K 90cm
243478	LED15S 15W 1600lm 4000K 90cm
243479	LED19S 20W 1900lm 3000K 120cm
243480	LED20S 20W 2100lm 4000K 120cm
243481	LED24S 24W 2400lm 3000K 150cm
243482	LED25S 24W 2600lm 4000K 150cm

Noxion LED Waterproof Batten Housing Poseidon V2.0

Warranty	IP	IK	°C
3 years	65	08	-15°C - 40°C



IP65 IK08

Art. n°	Description
237531	60cm for 1x18W
237532	60cm for 2x18W
237533	120cm for 1x36W
237534	120cm for 2x36W
237535	150cm for 1X58W
237536	150cm for 2x58W

Ledvance LED Waterproof Batten Damp Proof Housing

Warranty	IP	IK	°C
5 years	65	08	-30°C - 40°C



IP65 IK08

Art. n°	Description
236356	60cm for 1 tube
236357	60cm for 2 tubes
236352	120cm for 1 tube
236353	120cm for 2 tubes
236354	150cm for 1 tube
236355	150cm for 2 tubes



Noxion Batten Click LED T8

Warranty	IP	IK	°C
3 years	20	02	-20°C - 50°C



Art. n°	Description
	1 tube
235282	1x18W 60cm
235283	1x36W 120cm
235284	1x58W 150cm
	2 tubes
235285	2x18W 60cm
235286	2x36W 120cm
235287	2x58W 150cm

Noxion Batten Click Reflector LED T8

Warranty	IP	IK	°C
3 years	20	02	-20°C - 50°C



Art. n°	Description
	1 tube
235288	1x36W 120cm
235289	1x58W 150cm
	2 tubes
235290	2x36W 120cm
235291	2x58W 150cm





LED Systemarmaturer

Noxion LED Easytrunk

L80	Warranty	IP	IK	°C	CRI	PF
72000h	5 years	40	06	-	80	0.98

Art. n°	Description
236980	Noxion EasyTrunk for NLS-R36-850-90D
237488	Noxion EasyTrunk for NLS-R58-850-30D
236982	Noxion EasyTrunk for NLS-R58-850-90D
236984	Noxion EasyTrunk for NLS-T5-850-90D
237618	Noxion Easytrunk for REGIOLX-SDT-850-30D
236985	Noxion EasyTrunk for REGIOLX SDT-850-90D
236987	Noxion EasyTrunk for REGIOLX SMT-850-90D
236991	Noxion EasyTrunk for RIDI VLG-T8-850-90D
236993	Noxion EasyTrunk for RIDI VLT5-850-90D
236995	Noxion EasyTrunk for RIDI VLT8-850-90D
241370	Noxion EasyTrunk for TRILUX T5E-840-90D
237001	Noxion EasyTrunk for TRILUX T5E-850-90D
241668	Noxion EasyTrunk for TRILUX T8E-840-90D
237003	Noxion EasyTrunk for TRILUX T8E-850-90D
237005	Noxion EasyTrunk for TTX200-36W-850-90D
240148	Noxion EasyTrunk for TTX200-58W-830-90D
237007	Noxion EasyTrunk for TTX200-58W-850-90D
245023	Noxion Easytrunk for TTX200-58W-865-90D
240149	Noxion EasyTrunk for TTX400-36W-840-90D
237010	Noxion EasyTrunk for TTX400-T5-850-90D
238439	Noxion EasyTrunk for TTX400-T8-840-90D
243398	Noxion EasyTrunk for TTX400-T8-850-30D
246069	Noxion EasyTrunk for TTX400-T8-850-60D
237012	Noxion EasyTrunk for TTX400-T8-850-90D
237021	Noxion EasyTrunk for VEKO PNR New-850-90D
244314	Noxion EasyTrunk for ZUM tecton-840-120D
237020	Noxion EasyTrunk for ZUM tecton-850-90D
246095	Noxion Easytrunk for ZUM-ZX1-T8-840-120D
237014	Noxion EasyTrunk for ZUM-ZX1-850-90D
237016	Noxion EasyTrunk for ZUM-ZX2-T5-850-90D
237018	Noxion EasyTrunk for ZUM-ZX2-T8-850-90D





Available on the webshop:

- **Siteco**
- **Veko**
- **NS Lighting**

3 steps to install EasyTrunk



1 **Unclip the old light fixture**



2 **Clip on the new one**




3 **Test and turn on**

Noxion LED Trunking NX

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 45°C	80	0.9



Description		Standard	DALI	Emergency	PC Diffuser	Lens Optic
Standard						
35W 4000K AR60		235043				
35W 4000K FD120			235064	242021		
50W 4000K WD90			244327			
70W 4000K FD120		244345	248174	242025	248169	
70W 4000K WD90			248245	245454		248168
70W 4000K NR60						248167
70W 4000K SP30		235099	248175	235101		
V2.0						
35/40/45/50W 4000K WD90	A	248171				248185
35/40/45/50W 4000K FD120	A				248160	248183
35/40/45/50W 4000K NR60	A				248184	
55/60/65/70W FD120	A					248186
55/60/65/70W WD90	A	245465		245466		248188
55/60/65/70W NR60	A					248187
55/60/65/70W SP30	A					248189
Accessories						
235031	D	Linear Light NX-Line Trunking 8/1500				
235032	B	Linear Light NX-Line Trunking 8/1500 | End Part				
235033	C	Linear Light NX-Line Trunking 8/3000				
235034		Linear Light NX-Line Trunking 8/3000 End Part				
235153	I	Linear Light NX-Line Track Light Cover 8/1500				
235154		Linear Light NX-Line Sensor Cover 8/1500				
235135	E	Blind Cover without caps 1500				
237520	E	Blind Cover with caps 1500				
235136	E	Blind Cover caps				
235139	G	End Cap				
235145	F	Feed in Box 8				
235142		Cable Gland M20x1.5mm Ø7mm-14mm				
235137	H	Surface Mounting Clip Ø13.5mm Hole				
235131	H	Suspension Cord 3M				
245483	H	Suspend Chain				







Noxion LED Highbay Ecowhite

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-20°C - 50°C	80	0.95

Art. n°	Description
241836	100W 4000K 13000lm 90D
241837	100W 4000K 13000lm 120D
241838	200W 4000K 26000lm 90D
241839	200W 4000K 26000lm 120D



5 IP65 IK08 1-10V

Noxion LED Highbay Concord G3

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 50°C	80	0.93

Art. n°	Description
241643	100 / 120 / 150 / 200W 13000/15600/19500/26000lm 3000K 90D
241641	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 4000K 90D
241644	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 3000K 120D
241642	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 4000K 120D



5 IP65 IK08 1-10V

Noxion LED Highbay Pro-Clean


L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	66	10	-30°C - 50°C	80	0.93

Art. n°	Description
	1-10V
224609	150W 4000K 18050lm 90D 1-10V Dim
242319	200W 4000K 24000lm 90D 1-10V Dim




5 IP65 IK08 1-10V DALI

Accessories for Highbay Concord G3 / Pro-clean



Model	Description	Concord G3	Ecowhite	Pro-Clean
A	60° circular D315 Plastic Cover lens	239541	-	-
B	PC diffuser with cover	239542	-	239542
C	90° aluminium reflector	239543	-	239543
D	65° aluminium reflector	239544	-	-
E	Remote controller of microwave sensor	-	244732	-
F	Surface Mounting Bracket	-	241840	-
G	Motion detector	-	244733	-



Ledvance LED Highbay Gen 4

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 45°C	80	0.9

Art. n°	Description
244759	87W 13000lm 4000K 70°
244758	87W 13000lm 4000K 110°
244766	87W 13000lm 6500K 70°
244765	87W 13000lm 6500K 110°
244761	147W 22000lm 4000K 70°
244760	147W 22000lm 4000K 110°
244767	147W 22000lm 6500K 110°
244763	190W 27000lm 4000K 70°
244762	190W 27000lm 4000K 110°
244768	190W 27000lm 6500K 70°
244769	210W 30000lm 6500K 70°
	GEN 4 | with sensor
243772	87W 13000lm 4000K 110°
243770	147W 22000lm 4000K 70°
243769	147W 22000lm 4000K 110°
243771	190W 27000lm 4000K 110°
243778	Sensor for Gen 4
243779	Remote control Gen 4

LEDVANCE



Standard

with sensor

5

IP65

IK08

DALI



LED Strålkastare

Noxion LED Floodlight Beamy G2

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	07	-20°C - 40°C	80	0.9

Art. n°	Description
241651	10-60W 1100lm 4000K
239733	20-120W 2000lm 3000K
239734	20-120W 2100lm 4000K
241654	30-180W 3000lm 3000K
	Sensor
241659	10-60W 1100lm 4000K
241660	20-120W 2000lm 3000K
241663	30-180W 3100lm 4000K
241664	50-300W 5000lm 3000K


239731

239739

IP65

Noxion LED Floodlight Beamy V2.0

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	05	-20°C - 40°C	80	0.9

Art. n°	Description
242083	50-300W 4500lm 3000K
242084	50-300W 4500lm 4000K
	Sensor
242085	50-300W 4500lm 4000K


239550


239549

IP65

1m



Ledvance LED Floodlight Performance

L80	Warranty	IP	IK	°C	CRI	PF
55000h	5 years	65	07	-30°C - 50°C	80	0.9


Black


White

5

IP65

Description	Black	Black Sensor	White	White Sensor
10W 1100lm 3000K	239586	239229	239561	239230
10W 1200lm 4000K	239587	239231	239588	239232
10W 1200lm 6500K	239589	-	239590	-
20W 2200lm 3000K	239591	239233	239592	239234
20W 2400lm 4000K	239569	239235	239593	239236
20W 2400lm 6500K	239594	-	239595	-
30W 3300lm 3000K	239576	-	239596	-
30W 3600lm 4000K	239597	-	239577	-
30W 3600lm 6500K	239598	-	239599	-
50W 5500lm 3000K	239600	239237	239601	239238
50W 6000lm 4000K	239602	239239	239603	239240
50W 6000lm 6500K	239526	-	239571	-

Philips LED Floodlight BVP164

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	07	-25°C - 40°C	80	0.95

Art. n°	Description
243122	LED12 10W 1100lm 830 Sym
243124	LED12 10W 1200lm 840 Sym
243126	LED24 20W 2200lm 830 Sym
243128	LED24 20W 2400lm 840 Sym
243130	LED36 30W 3300lm 830 Sym
243132	LED36 30W 3600lm 840 Sym
243134	LED60 50W 5500lm 830 Sym
243136	LED60 50W 6000lm 840 Sym



IP65

IK07

Noxion LED Floodlight Beam / ProBeam

L80	Warranty	IP	IK	°C	CRI	PF
70000h	5 years	66	08	-30°C - 40°C	80	0.95

Description		
	Asymmetrical	**Symmetrical**
40W 4000lm 3000K	241769	241772
40W 4000lm 4000K	241763	241766
80W 8000lm 3000K	241770	-
80W 8000lm 4000K	241764	241767
120W 12000lm 3000K	241771	-
120W 12000lm 4000K	241765	241768
133W 15000lm 3000K	241866	-
133W 16000lm 4000K	241669	-
170W 20000lm 3000K	241867	-
170W 21000lm 4000K	241670	-
210W 25000lm 3000K	241868	-
210W 26000lm 4000K	241671	-



5 | IP66 | IK08 | 1m

Ledvance LED Floodlight PFM Gen 3 Symmetrical

L80	Warranty	IP	IK	°C	CRI	PF
55000h	5 years	65	08	-30°C - 50°C	80	0.9

Art. n°	Description
239198	65W 7150lm 3000K
239199	65W 8000lm 4000K
239200	65W 8000lm 6500K
239201	80W 8800lm 3000K
239202	80W 10000lm 4000K
239203	80W 10000lm 6500K
239204	125W 13750lm 3000K
239205	125W 15000lm 4000K
239206	125W 15000lm 6500K
239207	165W 18150lm 3000K
239208	165W 20000lm 4000K
239209	165W 20000lm 6500K
239210	200W 22000lm 3000K
239211	200W 25000lm 4000K
239212	200W 25000lm 6500K



5 | IP65 | IK08 | 1m

Asymmetrical version available on the webshop

Philips LED Floodlight Gen3 BVP165

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	07	-25°C - 40°C	80	0.95

Art. n°	Description
	Asymmetrical
246325	LED84 70W 7000lm 3000K
243140	LED84 70W 7300lm 4000K
246333	LED100 100W 10000lm 3000K
243143	LED120 100W 10500lm 4000K
246328	LED150 150W 15000lm 3000K
243145	LED180 150W 15750lm 4000K
246330	LED200 200W 20000lm 3000K
243147	LED240 200W 21000lm 4000K
	Symmetrical
243138	LED84 70W 7700lm 3000K
243141	LED84 70W 8400lm 4000K
246337	LED110 100W 11000lm 3000K
243144	LED120 100W 12000lm 4000K
246339	LED165 150W 16500lm 3000K
243146	LED180 150W 18000lm 4000K
246335	LED220 200W 22000lm 3000K
243148	LED240 200W 24000lm 4000K



IP65 | IK07

Sylvania LED Streetlight Zephyr Large

L70	Warranty	IP	IK	°C	CRI	PF
90000h	5 years	66	08	-20°C - 45°C	70	0.95

Art. n°	Description
235549	80W 9600lm 4000K




5 | IP66 | IK09



Fasader & Gångvägar

Ledvance LED Wall Light Outdoor

LEDVANCE



Model	Art. n°	Description	LxWxH	Lifetime hrs
		Pro Flood		
A	236752	Pro Flood 15W 1500lm 4000K Black IP55 Sensor	151x56x205	30000 h
A	236755	Pro Flood 27W 3000lm 4000K White IP55 Sensor	201x56x225	30000 h
		Wide		
B	243632	Wide 12W 3000K 530lm Grey IP44	86x210x90	15000 h
		Endura Up & Down		
C	243620	Endura Up & Down 12W 3000K 700lm Grey IP44	55x90	30000 h
C	243621	Endura Up & Down 12W 3000K 700lm Black IP44	55x90	30000 h
C	243622	Endura Up & Down 12W 3000K 700lm White IP44	55x90	30000 h
		Pro Up & Down		
D	237944	Pro Up & Down 10W 4000K 1000lm Grey IP55 Sensor	87x55x180	50000 h
		Facade pole		
E	243590	Facade pole 6W 3000K 360lm Steel IP44	135x102	30000 h
		Garden flood		
F	243578	Spike 10W 3000K 800lm Black IP65	44x108	25 000 h
F	243579	Spike 20W 3000K 1700lm Black IP65	44x133	25 000 h
		Bollard Modern		
G	243600	Bollard 12W 610lm 3000K Black IP44	110x110x500	-
G	243601	Bollard 12W 610lm 3000K Black IP44	110x110x900	-
		Bollard Cylinder		
H	243587	Bollard 6W 3000K 360lm Steel IP44	100x102x550	-
H	243588	Bollard 6W 3000K 360lm Steel IP44	100x102x1000	-
		Bollard Endura Pyramid		
I	243610	Bollard 9W 3000K 600lm Steel IP44	100x100x500	25 000 h
I	243611	Bollard 9W 3000K 600lm Steel IP44	100x100x800	25 000 h

More products on our website

Ledvance Wandlamp Endura



Model	Art. n°	Description	Type of lights	LxWxH
		Wallmounted		
A	243047	Tube - Black - IP44	E27	129x90x197
A	243035	Tube - Amber - IP44	E27	129x90x197
B	243044	Cadre - Clear - IP44	E27	140x110x245
C	243041	Cascade - Clear - IP44	E27	160x120x180
C	243038	Cascade - Amber - IP44	E27	160x120x180
D	243049	Cannon Up & Down - Black - IP44	GU10	105x75x180
E	237942	Lantern - Black - IP43	E27	210x118x212
E	237941	Lantern - White - IP43	E27	210x118x212
E	237940	Lantern - Wood - IP43	E27	210x118x212
F	243051	Applique - Black - IP44	GU10	104x92x146
F	243050	Wallmounted Beam Gap - Black - IP44	GU10	104x92x163
G	243053	Wallmounted Up & Down - Black - IP44	GU10	104x92x200
G	243052	Wallmounted Up & Down Beam Gap - Grey - IP44	GU10	104x92x233
H	243546	Endura Classic tradition - Alu - IP44	E27	230x170x260
I	243541	Endura Classic Post Up with sensor - Steel - Ip44	E27	212x127x193
		BorneBeam		
J	243036	Tube 50cm - Amber - IP44	E27	Ø135
K	243042	Cascade 50cm - Clear - IP44	E27	200x160x500
K	243039	Cascade 50cm - Amber - IP44	E27	200x160x500
K	243043	Cascade 80cm - Clear - IP44	E27	200x160x500
K	243040	Cascade 80cm - Amber - IP44	E27	200x160x500
L	243045	Cadre - 60cm - Clear - IP44	E27	110x110x600
M	243539	Borne 80cm - Clear - IP44	E27	Ø127

Ledvance Wall Light Endura

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	-	-20°C - 40°C	80	0.9

Art. n°	Description
	Wall Light
237930	6W 400lm 3000K Solar Sensor Steel
237932	6W 400lm 3000K Solar Sensor Black
237934	6W 400lm 3000K Solar Sensor Black
	Bollard
237931	6W 400lm 3000K Sensor Solar Steel
237933	6W 400lm 3000K Sensor Solar Black



Paulmann Solar LED lighting



Art. n°	Description	LxWxH	Lifetime hrs	Model
	Elliot wall lamp (A)			
240678	0,05W 5lm 3000K IP44 | Sensor Twilight	100x80x53	10 000 h	A
	Elliot wall lamp (B)			
240679	0,05W 4lm 3000K IP44 | Sensor Twilight	100x80x20	10 000 h	B
	LED Spike UFO (C)			
240674	55cm - 0,2W 3lm 3000K IP44	Ø150	-	C
	LED Bollard Ryse (D)			
240687	80cm - 1,2W 145lm 3000K IP44	154x194	30 000 h	D
	LED Recessed Box EBL (E)			
240676	0,24W 3,6lm 2700K IP67 Black	100x100x45	15 000 h	E
240677	0,6W 7,5lm 2700K IP67 Black	200x100x51	15 000 h	E
	Outdoor solar wandlamp Ryse (F)			
240685	1,2W 100lm 3000K IP44 | Sensor Twilight	147x154x41	30 000h	F



LED Plafonder

Noxion LED Bulkhead Pro

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	66	10	-20°C - 40°C	80	0.95

Art. n°	Description
241962	13W 1400lm 2700/3000/4000K Ø300mm
241365	20W 2000lm 2700/3000/4000K Ø300mm
	With Corridor Sensor
241963	13W 1400lm 2700/3000/4000K Ø300mm
241366	20W 2000lm 2700/3000/4000K Ø300mm
	With EM3HR
241964	13W 1400lm 2700/3000/4000K Ø300mm
241367	20W 2000lm 2700/3000/4000K Ø300mm
	With Corridor Sensor + EM3HR
241965	13W 1400lm 2700/3000/4000K Ø300mm
244728	20W 2000lm 2700/3000/4000K Ø300mm

NOXION



Noxion LED Bulkhead Corido

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	44	02	-25°C - 45°C	80	0.9

Art. n°	Description
241912	18W 1386lm 3000K Ø360mm
241913	18W 1530lm 4000K Ø360mm
241916	22W 1760lm 3000K Ø410mm
241917	22W 1980lm 4000K Ø410mm
	With Corridor Sensor
241914	18W 1386lm 3000K Ø360mm
241915	18W 1530lm 4000K Ø360mm
241918	22W 1760lm 3000K Ø410mm
241919	22W 1980lm 4000K Ø410mm
	With EM3HR
245473	18W 1386lm 3000K Ø360mm
245474	18W 1530lm 4000K Ø360mm
245476	22W 1760lm 3000K Ø410mm
245477	22W 1980lm 4000K Ø410mm
	With Corridor Sensor + EM3HR
245475	18W 1386lm 3000K Ø360mm
245024	18W 1530lm 4000K Ø360mm
245226	22W 1760lm 3000K Ø410mm
245020	22W 1980lm 4000K Ø410mm

NOXION





Philips LED Bulkhead Coreline WL060

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	44	03	-20°C - 40°C	80	0.9



Art. n°	Description
236111	12W 1100lm 3000K Ø285mm
236112	12W 1100lm 4000K Ø285mm
236113	18,5W 1700lm 3000K Ø345mm
236115	18,5W 1700lm 4000K Ø345mm
	With sensor
236114	19,5W 1700lm 3000K Ø345mm
236116	19,5W 1700lm 4000K Ø345mm

Philips LED Bulkhead Coreline WL130 & WL131

NOXION

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-25°C - 45°C	80	0.9



Art. n°	Description
	WL130
243326	12W 1200lm 3000K Ø390mm
243332	12W 1200lm 4000K Ø390mm
243340	22W 2000lm 3000K Ø390mm
243349	22W 2000lm 4000K Ø390mm
243339	23W 2000lm 3000K sensor Ø390mm
243348	23W 2000lm 4000K sensor Ø390mm
	WL131
233790	15W 1200lm 3000K sensor Ø350mm
233792	15W 1200lm 4000K sensor Ø350mm
233794	25W 2000lm 3000K sensor Ø350mm
233796	25W 2000lm 4000K sensor Ø350mm
233797	36W 3400lm 3000K Ø480mm
233799	36W 3400lm 4000K Ø480mm
233798	38W 3400lm 4000K sensor Ø480mm

Ledvance Surface Circular IP65

LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	10	-20°C - 40°C	80	0.95



Black



White









Available in white version

Art. n°	Description
	Standard Black
243692	10W 800lm 3000K Ø250mm
243696	10W 800lm 4000K Ø250mm
243700	15W 1400lm 3000K Ø300mm
243704	15W 1400lm 4000K Ø300mm
	Black with sensor
243708	10W 800lm 3000K Ø250mm
243712	10W 800lm 4000K Ø250mm
243716	15W 1400lm 3000K Ø300mm
243720	15W 1400lm 4000K Ø300mm

Ledvance Surface Circular

LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	44	03	-20°C - 40°C	80	0.9





Art. n°	Description
	Standard
243726	13W 920lm 3000K Ø250mm
243727	13W 960lm 4000K Ø250mm
243730	18W 1440lm 3000K Ø350mm
243731	18W 1440lm 4000K Ø350mm
243734	24W 1920lm 3000K Ø400mm
243735	24W 1920lm 4000K Ø400mm
247012	42W 3500lm 3000K Ø500mm
247017	42W 3500lm 4000K Ø500mm
	With sensor
243724	13W 920lm 3000K Ø250mm
243725	13W 960lm 4000K Ø250mm
243728	18W 1440lm 3000K Ø350mm
243729	18W 1440lm 4000K Ø350mm
243732	24W 1920lm 3000K Ø400mm
243733	24W 1920lm 4000K Ø400mm
247023	42W 3500lm 3000K Ø500mm
247026	42W 3500lm 4000K Ø500mm

Philips LED Bulkhead Coreline BWC110

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	54	08	-20°C - 50°C	80	0.80



Art. n°	Description
206956	9W 668lm 3000K 242x110mm Black
206958	9W 668lm 3000K 242x110mm White
206960	14W 1336lm 3000K 282x178mm Black
206962	14W 1336lm 3000K 282x178mm White
	Daylight Sensor
206957	9W 668lm 3000K 242x110mm Black
206959	9W 668lm 3000K 242x110mm White
206961	14W 1336lm 3000K 282x178mm Black
206963	14W 1336lm 3000K 282x178mm White

5 IK08

Philips LED Bulkhead Coreline WL055V


PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	08	-20°C - 35°C	80	0.9



Art. n°	Description
	Standard
238240	8W 600lm 3000K 374x150mm
238243	8W 630lm 4000K 374x150mm
	Sensor
238239	8W 600lm 3000K 374x150mm sensor
238242	8W 630lm 4000K 374x150mm sensor
	Emergency
238241	8W 630lm 4000K 374x150mm Emergency

IP66 IK08 3H



LED Downlights

Noxion LED Downlight Apollo

L80	Warranty	IP	IK	°C	CRI	PF
70000h	5 years	20	03	-20°C - 50°C	80	0.9

Art. n°	Description
243077	9W 1100lm 3000K 60D Ø120mm | Frame Ø145mm
243079	9W 1200lm 4000K 60D Ø120mm | Frame Ø145mm
243081	20W 2400lm 3000K 60D Ø200mm | Frame Ø220mm
243083	20W 2600lm 4000K 60D Ø200mm | Frame Ø220mm
	With ALU reflector
243078	9W 1000lm 3000K 60D Ø120mm | Frame Ø145mm
243080	9W 1100lm 4000K 60D Ø120mm | Frame Ø145mm
243082	20W 2300lm 3000K 60D Ø200mm | Frame Ø220mm
243084	20W 2500lm 4000K 60D Ø200mm | Frame Ø220mm
	Accessories
243085	Ring Ø120mm| Frame Ø167mm
243086	Ring Ø200mm| Frame Ø240mm



5 · UGR <19 · 1H · DALI

Noxion LED Downlight Slim V2.0

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	03	-20°C - 50°C	80	0.9

Description	Standard	Dali	1-10V
12W 1200lm 4000K Ø150mm	238899	238904	238910
20W 2000lm 3000K Ø200mm	238900	238905	238911
20W 2000lm 4000K Ø200mm	238901	238907	238913
24W 2400lm 3000K Ø200mm	238902		
24W 2400lm 4000K Ø200mm	238903	238909	238915



5

Noxion LED Downlight Ecowhite

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	05	-20°C - 40°C	80	0.9

Art. n°	Description
245015	18W 1530lm 3000/4000/6000K Ø217mm
	Accessories
245016	Round ring Black
245017	Round ring Polished Chrome
245018	Round ring Satin Nickel



Philips LED Downlight DN140B

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20/54	02	-20°C - 40°C	80	0.9

Art. n°	Description
	IP20
234583	9.5W 1100lm 3000K Ø162mm
234593	9.5W 1100lm 4000K Ø162mm
234603	19W 2200lm 3000K Ø216mm
234612	19W 2200lm 4000K Ø216mm
234581	9.5W 1100lm 3000K Reflector alu Ø162mm
234591	9.5W 1100lm 4000K Reflector alu Ø162mm
234601	19W 2200lm 3000K Reflector alu Ø216mm
234610	19W 2200lm 4000K Reflector alu Ø216mm
	IP54
234582	9.5W 1100lm 3000K Ø162mm
234592	9.5W 1100lm 4000K Ø162mm
234602	19W 2200lm 3000K Ø216mm
234611	19W 2200lm 4000K Ø216mm
234580	9.5W 1100lm 3000K Reflector alu Ø162mm
234590	9.5W 1100lm 4000K Reflector alu Ø162mm
234361	19W 2200lm 4000K Reflector alu Ø216mm



5 · UGR <22

Philips LED Downlight DN065B

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
35000h	3 years	20	03	-20°C - 40°C	80	0.9



Art. n°	Description
243154	11W 1000lm 3000K Ø175mm
243155	11W 1000lm 4000K Ø175mm
243156	11W 1000lm 4000K Ø175mm
243157	20W 2000lm 3000K Ø225mm
243158	20W 2000lm 4000K Ø225mm
243159	20W 2000lm 4000K Ø225mm

Ledvance LED Downlight Slim DN150/200

LEDVANCE

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	02	-20°C - 35°C	80	0.5





Art. n°	Description
	DN150
233336	14W 1190lm 3000K Ø150mm
233337	14W 1260lm 4000K Ø150mm
	DN200
233339	25W 2250lm 3000K Ø200mm
233340	25W 2370lm 4000K Ø200mm
233341	25W 2370lm 6500K Ø200mm
233342	35W 2975lm 3000K Ø200mm
233343	35W 3150lm 4000K Ø200mm
233344	35W 3150lm 6500K Ø200mm

Ledvance LED Downlight Value DN180

LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	-	-20°C - 40°C	80	0.50



Art. n°	Description
231322	17W 1350lm 830 Ø175mm
231323	17W 1400lm 840 Ø175mm
231325	22W 1920lm 840 Ø205mm

Ledvance LED Downlight Slim DN105/155/180/210

LEDVANCE

L65	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	03	0°C - 40°C	80	0.5



Circular Square

Available in square format


Art. n°	Description
233360	6W 430lm 3000K Ø105mm | Circular
233361	6W 430lm 4000K Ø105mm | Circular
233362	6W 430lm 6500K Ø105mm | Circular
233363	12W 1020lm 3000K Ø155mm | Circular
233364	12W 1020lm 4000K Ø155mm | Circular
233365	12W 1020lm 6500K Ø155mm | Circular
233366	18W 1530lm 3000K Ø210mm | Circular
233367	18W 1530lm 4000K Ø210mm | Circular
233369	Ring for Downlight 6W
233370	Ring for Downlight 12W
233371	Ring for Downlight 18W

Noxion LED Downlight Forza


NOXION

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95






Art. n°	Description
245302	35W 3000lm 930 36D White Ø160mm
245303	35W 3300lm 940 36D White Ø160mm
245304	35W 3000lm 930 36D Black Ø160mm
242006	35W 3300lm 940 36D Black Ø160mm
242007	35W 3000lm 930 36D Grey Ø160mm





LED Spots

Noxion Recessed Spot



Model	Description	White	Black	Aluminium	Tiltable	Cut	LxW or Ø
A	Boxi IP20	220658	232027	220657	40°	80mm	92mmx92mm
B	Drome IP20	220652	232025	220651	40°	69mm	Ø82mm
C	Logic IP20	220655	232026	220654	40°	80mm	Ø92mm
D	Vision IP20	220649	232024	220648	40°	69mm	Ø82mm
E	Square IP20	220642	-	-	40°	70mm	82mmx82mm
F	D-Flex IP20	220646	-	-	40°	70mm	80mmx80mm
G	Flox IP20	220640	232022	-	40°	70mm	Ø82mm
H	D-Round IP20	220644	232023	-	-	70mm	Ø82mm
I	Deep IP20	220645	-	-	-	70mm	82mmx82mm
J	Fix IP20	220638	232021	-	-	70mm	Ø82mm
K	Rondo IP20	220647	-	-	-	70mm	Ø90mm

Noxion Recessed Spot



Model	Description	White	Black	Aluminium	Tiltable	Cut	Ø
A	Starlight IP54 - 400lm - 2700K	223726	-	224361	-	Ø72mm	Ø85mm
B	Ember IP65 - 400lm - 2700K	244600	-	244611	-	Ø70mm	Ø80mm
C	H20 IP65 - 400lm - 2700K	244603	-	-	-	Ø70mm	Ø85mm
D	Gimax IP44 - 400lm - 2700K	-	-	224358	-	Ø74mm	Ø80mm
E	Leda IP44 - 400lm - 2700K	244596	-	224359	-	Ø83mm	Ø90mm
F	Droplet IP44 - 400lm - 2700K	244599	-	224362	30°	Ø85mm	Ø100mm
G	Diamond IP44 - 400lm - 2700K	241981	-	241992	30°	Ø83mm	Ø90mm
H	Hydro IP65 Fireproof - 400lm - 2700K	241989	-	244612	30°	Ø83mm	Ø95mm
I	Aqua IP65 Fireproof - 400lm - 2700K	241990	-	242001	30°	Ø92mm	Ø100mm
J	Gimba IP44 - 400lm - 2700K	-	-	224360	-	Ø74mm	Ø80mm
K	Slim IP54 - 600lm - 2700K - Dim	245688	245689	245690	60°	Ø75mm	Ø85mm
K	Slim IP54 - 600lm - 3000K - Dim	244924	244925	244926	60°	Ø75mm	Ø85mm
K	Slim IP54 - 600lm - 4000K - Dim	245682	245683	245684	60°	Ø75mm	Ø85mm
K	Slim IP54 - 600lm - 2000/3000K Dim-to-warm	245685	245686	245687	60°	Ø75mm	Ø85mm
L	Forseti IP44 - 400lm - 2700K	223722	-	-	-	Ø72mm	Ø80mm

Ledvance LED Spot

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	-	06	-20°C - 45°C	80	-

Model	Description	White	Black	Silver	Recoverable
Spot Fix	8W 640lm 927 Dim IP44 Ø68mm	247021	247040	-	No
	8W 640lm 930 Dim IP44 Ø68mm	247029	247045	247052	No
	8W 680lm 940 Dim IP44 Ø68mm	247034	-	-	No
Spot Air Fix	6W 480lm 927 Dim IP65 Ø68mm	247140	247145	-	Yes
	6W 480lm 930 Dim IP65 Ø68mm	247149	246892	246897	Yes
	6W 510lm 940 Dim IP65 Ø68mm	247154	-	-	Yes
Spot Fire Rated	8W 640lm 927 Dim IP65 Ø68mm	247086	247101	-	No
	8W 640lm 927 Dim IP65 Ø68mm	247091	247105	-	No
	8W 680lm 930 Dim IP65 Ø68mm	247096	-	-	No
Spot Adjust	8W 640lm 927 Dim IP20 Ø68mm	247057	247074		No
	8W 640lm 930 Dim IP20 Ø68mm	247063	247079	247083	No
	8W 720lm 940 Dim IP20 Ø68mm	247068	-	-	No
Spot Air Adjust	4W 300lm 927 Dim IP23 Ø68mm	246903	246917	-	Yes
	4W 300lm 930 Dim IP23 Ø68mm	246906	246925	246930	Yes
	4W 340lm 940 Dim IP23 Ø68mm	246911	-	-	Yes
Spot Dark Light	8W 640lm 927 Dim IP44 Ø68mm	247110	247126	-	No
	8W 640lm 930 Dim IP44 Ø68mm	247135	247131	247117	No
	8W 720lm 940 Dim IP44 Ø68mm	247121	-	-	No
	Accessories				
Extension ring Ø68mm - Ø115mm		246915	246919	-	-
Extension ring Ø115mm - Ø160mm		246926	246922	-	-



CRI90

Philips LED Spot Clear Accent G2

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-20°C - 40°C	80	-

Art. n°	Description
243201	6W 500lm 827 Dim Ø80mm
243202	6W 500lm 827 Dim Ø80mm Dim
243204	6W 500lm 830 Dim Ø80mm
243203	6W 500lm 830 Dim Ø80mm Dim
243206	6W 550lm 840 Dim Ø80mm
243205	6W 550lm 840 Dim Ø80mm Dim





LED Spotskenor

Noxion LED Tracklight Spot Accento

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95

Art. n°	Description
245313	35W 3100lm 930 36D White
245314	35W 3300lm 940 36D White
245315	35W 3100lm 930 36D Black
245316	35W 3300lm 940 36D Black
245317	35W 3100lm 930 36D Grey



5 CRI90 355°

Noxion LED Tracklight Spot Stella

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95

Art. n°	Description
244360	24W 1969lm 930 15D White
244359	24W 2024lm 930 36D White
245319	24W 2000lm 930 50D White
245307	35W 2900lm 930 36D White
241967	35W 3200lm 940 36D White
245309	35W 2900lm 930 36D Black
245310	35W 3200lm 940 36D Black
245311	35W 2900lm 930 36D Grey
245312	35W 3200lm 940 36D Grey



5 CRI90 350°

Noxion LED Tracklight Spot Trixie


L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	06	-20°C - 40°C	90	0.95

Art. n°	Description
244357	30W 1760lm / 1980lm / 2035lm CCT 36D White
244356	30W 1760lm / 1980lm / 2035lm CCT 36D Black
244358	30W 1760lm / 1980lm / 2035lm CCT 36D Grey




5 CRI90 355°

Ivela Accessories Tracklight




Model	Description	White	Black	Aluminium
A	3 phase railsystem - 1m	138011	138014	138012
A	3 phase railsystem - 2m	138013	138017	138015
B	3 phase end feed earth right	138064	138065	138234
B	3 phase end feed earth left	138066	138067	138235
C	3 phase straight connector electic	138032	138033	-
C	3 phase straight connector mechanic V/I	138249	138035	-
D	3 phase end cap V	138082	138083	138233
E	3 phase corner connector 90° V earth extern	138072	138073	-
E	3 phase corner connector 90° V earth intern	-	138071	-
F	3 phase flexible corner connector V	138094	138081	-
G	3 phase middle feed V	138068	138069	150570
H	3 phase X-connector V	156083	138027	151159
I	3 phase T-connector V earth right	138078	-	-
I	3 phase T-connector V earth left	138028	138077	-
J	3 phase Universal Adaptor Track System	-	138222	-
K	Suspension kit 2m (plate 120cm)	-	207761	-
K	Suspension kit 2m (plate 60cm)	-	138061	-

Example of mounting



1. 90° Extern (E)
2. 90° Intern (E)
3. End / feed Right (B)
4. End / feed Left (B)
5. T - Right (I)
6. T - Left (I)
7. - X (H)



L End / feed

R End / feed

LED Strips

Noxion Strip LED

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	-	-25°C - 40°C	90	0.95

Art. n°	Description
240904	60W 980lm 927 5M
241847	60W 980lm 927 5M + Driver + Cable
240908	120W 2060lm 927 5M
241851	120W 2060lm 927 5M + Driver + Cable
	Accessories
240957	Cable | open wire female+male plug
241842	Extender | flexible corner cable 2pin
241841	Extender | fixed 2pin
240920	Controller M1+M3-3A RF
240921	Alu profile 1M/PCB width 12mm | recessed mounting
240922	Alu profile 1M/PCB width 10mm | surface mounting corner
240923	Alu profile 1M/PCB width 16mm | surface mounting
240924	Alu profile 1M/PCB width 12mm | recessed mounting
240925	Alu profile 1M/PCB width 12mm | surface mounting
240916	Driver for Noxion LED Strips 60W & 75W
240917	Driver for Noxion LED Strips 120W

NOXION



60W



75W



120W

5

CRI90



Smart belysning

Ledvance Smart Lighting



Model	Art. n°	Description	Lifespan	RGB
		LED Tube T8		
A	244781	9W 1100lm 827-865 60cm (EM Mains)	50000h	No
A	244782	18W 2300lm 827-865 120cm (EM Mains)	50000h	No
A	244783	24W 3100lm 827-865 150cm (EM Mains)	50000h	No
		LED Spots GU10		
B	238952	5-25W 250lm 827 120° - GU10	25000h	No
B	244056	5-50W 350lm 827-865 45° - GU10	20000h	Yes
		LED Bulbs E14		
C	242912	3,3-25W 210lm 827-865 E14 - R50	20000h	Yes
D	244043	5-40W 470lm 827-865 E14 - B35	20000h	Yes
		LED Bulbs E27		
E	242908	6-50W 540lm 825 E27 Filament Smoked - A60	15000h	No
F	244030	9-60W 806lm 827-865 E27 - A60	15000h	Yes
G	242898	7,5-75W 1055lm 827 E27 - A67	15000h	No
G	239662	11-100W 1521lm 827 E27 - A67	15000h	No
G	242899	11-100W 1521lm 827 E27 - A67	15000h	No
H	242903	16-100W 1521lm 827-865 E27 - G95	15000h	No
H	242904	16-100W 1521lm 827-865 E27 - G95	15000h	Yes
I	242906	4,5-30W 300lm 827 E27 Filament - G125	15000h	Yes
J	242910	6-50W 540lm 825 E27 Filament Smoked - G125	15000h	No
J	242911	6-40W 430lm 825 E27 Filament Smoked - G200	15000h	No
K	242913	6-60W 345lm 827-865 E27 - R63	20000h	Yes
L	242902	4-40W 470lm 827 E27 Filament - P35	15000h	No
M	242907	4,5-30W 300lm 827 E27 Filament - ST64	15000h	Yes

Wiz Connected Wifi LED Bulb



Model	Art. n°	Description	Lifespan	RGB
		LED Bulbs & Spots		
A	246130	9-60W 806lm 827 E27 - A60	25000h	No
B	246131	8-60W 806lm 822-827 E27 - A60	25000h	Yes
C	246132	6,5-54W 720lm 820-845 E27 Filament - ST64	15000h	No
D	246133	6,5-54W 400lm 820-850 E27 Filament Smoked - ST64	15000h	No
E	246134	6,5-54W 720lm 820-845 E27 Filament Amber - A60	15000h	No
F	246135	6,5-35W 400lm 820-850 E27 Filament Smoked - A60	15000h	No
G	246136	6,5-54W 725lm 820-845 E27 Filament Amber - G125	15000h	No
H	246137	6,5-35W 400lm 820-845 E27 Filament Smoked - G125	15000h	No
I	246138	5,5-50W 350lm 827 45° - GU10	25000h	No
J	246139	4,9-50W 345lm 827-865 45° - GU10	15000h	No
K	246140	4,9-50W 345lm 822-865 45° - GU10	15000h	Yes

Ledvance Smart+ Wifi Accessories

Art. n°	Description
	Plug smart lighting
240769	Plug interior wifi - remote control (A)
243057	Compact outdoor plug (B)
243055	Compact outdoor plug Zigbee (B)
	Other accessories
243054	Remote controle Smart+ RGBW (C)



LED Lysrör

T5 TUBE

Noxion Avant LED Tube T5 Extreme HO



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 40°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
T5 HE				
Equivalent 28W - 115cm 3000K		-	245197	16W 2160lm 830
Equivalent 28W - 115cm 4000K		-	245198	16W 2400lm 840
Equivalent 28W - 115cm 6500K		-	245199	16W 2400lm 865
T5 HO				
Equivalent 54W - 115cm 3000K	247466	26W 3550lm 830		-
Equivalent 54W - 115cm 4000K	246504	26W 3900lm 840		-
Equivalent 54W - 115cm 6500K	245205	26W 3900lm 865		-
Equivalent 49W - 145cm 3000K	246506	26W 3550lm 830	245200	26W 3510lm 830
Equivalent 49W - 145cm 4000K	245207	26W 3900lm 840	245201	26W 3900lm 840
Equivalent 49W - 145cm 6500K	245208	26W 3900lm 865	245202	26W 3900lm 865



Osram SubstiTUBE T5 HE/HO



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 50°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
T5 HE				
Equivalent 14W - 55cm 3000K	248096	7W 900lm 830	247688	7W 900lm 830
Equivalent 14W - 55cm 4000K	248102	7W 1000lm 840	248313	7W 1000lm 840
Equivalent 14W - 55cm 6500K	248104	7W 1000lm 865	247984	7W 1000lm 865
Equivalent 21W - 85cm 3000K	248314	10W 1350lm 830	247969	10W 1350lm 830
Equivalent 21W - 85cm 4000K	248315	10W 1500lm 840	247973	10W 1500lm 840
Equivalent 21W - 85cm 6500K	248094	10W 1500lm 865	247979	10W 1500lm 865
Equivalent 28W - 115cm 3000K	248081	16W 2150lm 830	248311	17W 2150lm 830
Equivalent 28W - 115cm 4000K	248084	16W 2400lm 840	248312	17W 2400lm 840
Equivalent 28W - 115cm 6500K	248088	16W 2400lm 865	247963	17W 2400lm 865
Equivalent 35W - 145cm 3000K	248068	18W 2550lm 830	248309	18W 2550lm 830
Equivalent 35W - 145cm 4000K	248072	18W 2800lm 840	248310	18W 2800lm 840
Equivalent 35W - 145cm 6500K	248078	18W 2800lm 865	247959	18W 2800lm 865
T5 HO				
Equivalent 24W - 55cm 3000K	248054	10W 1350lm 830		-
Equivalent 24W - 55cm 4000K	248057	10W 1500lm 840		-
Equivalent 24W - 55cm 6500K	248063	10W 1500lm 865		-
Equivalent 39W - 85cm 3000K	248038	16W 2160lm 830		-
Equivalent 39W - 85cm 4000K	248045	16W 2400lm 840		-
Equivalent 39W - 85cm 6500K	248050	16W 2400lm 865		-
Equivalent 54W - 115cm 3000K	248005	26W 3600lm 830	247943	26W 3600lm 830
Equivalent 54W - 115cm 4000K	248011	26W 4000lm 840	248307	26W 4000lm 840
Equivalent 54W - 115cm 6500K	248017	26W 4000lm 865	248308	26W 4000lm 865
Equivalent 49W - 145cm 3000K	248022	26W 3600lm 830	247948	26W 3600lm 830
Equivalent 49W - 145cm 4000K	248026	26W 4000lm 840	247953	26W 4000lm 840
Equivalent 49W - 145cm 6500K	248033	26W 4000lm 865	247955	26W 4000lm 865
Equivalent 80W - 145cm 3000K	247991	37W 5050lm 830	248306	37W 5050lm 830
Equivalent 80W - 145cm 4000K	247997	37W 5600lm 840	248146	37W 5600lm 840
Equivalent 80W - 145cm 6500K	248001	37W 5600lm 865	248148	37W 5600lm 865

Philips Master LEDtube T5 HE/HO/UO



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
T5 HE				
Equivalent 14W - 55cm 3000K	242467	8W 1000lm 830	230985	8W 1000lm 830
Equivalent 14W - 55cm 4000K	242468	8W 1050lm 840	230986	8W 1050lm 840
Equivalent 14W - 55cm 6500K	242469	8W 1050lm 865	230987	8W 1050lm 865
Equivalent 28W - 115cm 3000K	242554	16.5W 2300lm 830	230988	17W 2300lm 830
Equivalent 28W - 115cm 4000K	242462	16.5W 2500lm 840	230989	17W 2500lm 840
Equivalent 28W - 115cm 6500K	242463	16.5W 2500lm 865	230990	17W 2500lm 865
Equivalent 35W - 145cm 3000K	242464	20W 2800lm 830	230991	20W 2800lm 830
Equivalent 35W - 145cm 4000K	242465	20W 3000lm 840	230992	20W 3000lm 840
Equivalent 35W - 145cm 6500K	242466	20W 3000lm 865	230993	20W 3000lm 865
T5 HO				
Equivalent 54W - 115cm 3000K	233729	26W 3600lm 830	239431	26W 3700lm 830
Equivalent 54W - 115cm 4000K	233730	26W 3900lm 840	239432	26W 3900lm 840
Equivalent 54W - 115cm 6500K	233731	26W 3900lm 865	239433	26W 3900lm 865
Equivalent 49W - 145cm 3000K	233732	26W 3600lm 830	239434	26W 3700lm 830
Equivalent 49W - 145cm 4000K	233733	26W 3900lm 840	239435	26W 3900lm 840
Equivalent 49W - 145cm 6500K	233734	26W 3900lm 865	239436	26W 3900lm 865
T5 UO				
Equivalent 80W - 145cm 3000K	240985	36W 5200 830	246009	36W 5200 830
Equivalent 80W - 145cm 3000K	240986	36W 5600 840	246010	36W 5600 840
Equivalent 80W - 145cm 3000K	240987	36W 5600 865	246011	36W 5600 865



Noxion Avant LED T8 Tube Extreme UO & HO

NOXION



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
	T8 UO
241594	9-18W 1350lm 830 600mm
241595	9-18W 1350lm 840 600mm
241596	9-18W 1350lm 865 600mm
241597	17-36W 2600lm 830 1200mm
241598	17-36W 2600lm 840 1200mm
241599	17-36W 2600lm 865 1200mm
241600	22-58W 3300lm 830 1500mm
241601	22-58W 3300lm 840 1500mm
241602	22-58W 3300lm 865 1500mm
237773	Starter Avant LED T8 tube Extreme UO
	T8 HO
241638	9-18W 1070lm 827 600mm
241626	9-18W 1023lm 830 600mm
241627	9-18W 1072lm 840 600mm
241628	9-18W 1072lm 865 600mm
241629	12-30W 1370lm 830 900mm
241630	12-30W 1430lm 840 900mm
241631	12-30W l1430m 865 900mm
241639	14-36W 1892lm 827 1200mm
241632	14-36W 1810lm 830 1200mm
241633	14-36W 1910lm 840 1200mm
241634	14-36W 1910lm 865 1200mm
241640	18-58W 2634lm 827 1500mm
241635	18-58W 2520lm 830 1500mm
241636	18-58W 2660lm 840 1500mm
241637	18-58W 2660lm 865 1500mm



Noxion Avant LED T8 Tube Standard EM

NOXION



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
	New generation
241603	9-18W 900lm 830 600mm
241604	9-18W 990lm 840 600mm
241605	9-18W 990lm 865 600mm
241606	18-36W 1815lm 830 1200mm
241607	18-36W 1980lm 840 1200mm
241608	18-36W 1980lm 865 1200mm
241609	22-58W 2420lm 830 1500mm
241610	22-58W 2640lm 840 1500mm
241611	22-58W 2640lm 865 1500mm

Philips Master LEDtube EM

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
	HO
229293	8-18W 1000lm 830 600mm HO ROT
229294	8-18W 1050lm 840 600mm HO ROT
229295	8-18W 1050lm 865 600mm HO ROT
229296	12-30W 1575lm 840 900mm HO ROT
229297	12-30W 1575lm 865 900mm HO ROT
234547	12-36W 1900lm 830 1200mm HO ROT
234548	12-36W 2100lm 840 1200mm HO ROT
234549	12-36W 2100lm 865 1200mm HO ROT
234550	18-58W 2900lm 830 1500mm HO ROT
234551	18-58W 3100lm 840 1500mm HO ROT
234552	18-58W 3100lm 865 1500mm HO ROT
	UO
241116	15-36W 2300lm 830 1200mm
241117	15-36W 2500lm 840 1200mm
241118	15-36W 2500lm 865 1200mm
241119	22-58W 3400lm 830 1500mm
241120	22-58W 3700lm 840 1500mm
241121	22-58W 3700lm 865 1500mm

Philips Master LEDtube Value

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
	HO
236137	8-18W 1000lm 830 600mm
236138	8-18W 1050lm 840 600mm
236139	8-18W 1050lm 865 600mm
236125	14-36W 2000lm 830 1200mm
236126	14-36W 2100lm 840 1200mm
236127	14-36W 2100lm 865 1200mm
236131	20.5-58W 2900lm 830 1500mm
236132	20.5-58W 3100lm 840 1500mm
236133	20.5-58W 3100lm 865 1500mm
	UO
241122	16-36W 2300lm 830 1200mm
241123	16-36W 2500lm 840 1200mm
241124	16-36W 2500lm 865 1200mm
241125	24-58W 3400lm 830 1500mm
241126	24-58W 3700lm 840 1500mm
241127	24-58W 3700lm 865 1500mm

Osram Substitube LED EM T8

OSRAM



L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
248149	6,6-18W 720lm 830 600mm
247608	6,6-18W 800lm 840 600mm
247942	6,6-18W 800lm 840 600mm
247946	15-36W 1620lm 830 1200mm
247949	15-36W 1800lm 840 1200mm
247952	15-36W 1800lm 865 1200mm
247956	18,3-58W 1980lm 830 1500mm
247958	18,3-58W 2200lm 840 1500mm
247964	18,3-58W 2200lm 865 1500mm

Philips Corepro LEDtube EM T8

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
246814	8-18W 800lm 840 600mm
246804	8-18W 800lm 840 600mm
246806	8-18W 800lm 865 600mm
246827	15,5-36W 1700lm 830 1200mm
246128	15,5-36W 1800lm 840 1200mm
246129	15,5-36W 1800lm 865 1200mm
246820	20-58W 2050lm 830 1500mm
246822	20-58W 2050lm 840 1500mm
246812	20-58W 2200lm 865 1500mm
	HO
246825	8-18W 850lm 830 600mm
246077	8-18W 900lm 840 600mm
246078	8-18W 900lm 865 600mm
246829	18-36W 2000lm 840 1200mm
246831	18-36W 2000lm 865 1200mm
246833	24-58W 2700lm 840 1500mm
235708	24-58W 2700lm 865 1500mm
	UO
246808	21,5-36W 2250lm 830 1200mm
246073	21,5-36W 2400lm 840 1200mm
246074	21,5-36W 2400lm 865 1200mm
246810	31,5-58W 3320lm 830 1500mm
246075	31,5-58W 3500lm 840 1500mm
246076	31,5-58W 3500lm 865 1500mm



T8 TUBE EM ELECTRONIC

Noxion Avant LED T8 Tube Extreme HO HF

L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic



Art. n°	Description
244316	14-36W 1950lm 830 1200mm
244317	14-36W 2100lm 840 1200mm
244318	14-36W 2100lm 865 1200mm
244319	20-58W 2800lm 830 1500mm
244320	20-58W 3100lm 840 1500mm
244321	20-58W 3100lm 865 1500mm

Philips MASTER LEDtube Instantfit T8 HF

L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic



Art. n°	Description
	HO
246091	8-18W 1000lm 830 600mm
246092	8-18W 1040lm 840 600mm
246093	8-18W 1040lm 865 600mm
246079	14-36W 2000lm 830 1200mm
246080	14-36W 2100lm 840 1200mm
246081	14-36W 2100lm 840 1200mm
246085	20-58W 2900lm 830 1500mm
246086	20-58W 3100lm 840 1500mm
246087	20-58W 3100lm 865 1500mm
	UO - Dimmable
246082	16-36W 2350lm 830 1200mm
246083	16-36W 2500lm 840 1200mm
246084	16-36W 2500lm 865 1200mm
246088	24-58W 3500lm 830 1500mm
246089	24-58W 3700lm 840 1500mm
246090	24-58W 3700lm 840 1500mm

T8 TUBE UN UNIVERSAL

Philips Master LEDtube Value UO T8

L70	Warranty	°C	CRI	PF	Ballast
60000h	5 years	-20°C - 45°C	80	0.9	Universal




Art. n°	Description
242456	16-36W 2300lm 830 1200mm
242457	16-36W 2500lm 840 1200mm
242458	16-36W 2500lm 865 1200mm
242459	23-58W 3400lm 830 1500mm
242460	24-58W 3700lm 840 1500mm
242461	24-58W 3700lm 865 1500mm

Philips CorePro LEDtube UN HO T8 Universal

L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Universal



Art. n°	Description
239419	8-18W 850lm 830 600mm
239420	8-18W 900lm 840 600mm
239421	8-18W 900lm 865 600mm
233719	18-36W 1850lm 830 1200mm
233720	18-36W 2000lm 840 1200mm
233721	18-36W 2000lm 865 1200mm
233722	23-58W 2500lm 830 1500mm
233723	23-58W 2700lm 840 1500mm
233724	23-58W 2700lm 865 1500mm





LED Lampor

HPL / HQL / SOX / HPI

For highbay fixture Philips

Art. n°	Description
	TrueForce Core HB (Mains 230V)
239413	20W 2600lm 830 E27 150°
239414	20W 2700lm 840 E27 150°
239415	30W 3700lm 830 E27 180°
239416	30W 4000lm 840 E27 180°
239417	35W 4800lm 830 E27 180°
239418	35W 5000lm 840 E27 180°
	TrueForce HPI UN (Mains 230V)
240983	95W 13000lm 840 E40 60°
241110	95W 13000lm 840 E40 120°
241113	140W 20000lm 840 E40 60°
240982	140W 20000lm 840 E40 120°
	CorePro HPI MV (110-240V)
246730	65W 9000lm 840 E40 100°
246734	105W 15000lm 840 E40 100°

15000h · 1

PHILIPS



HB

25000h · 5

PHILIPS



HPI UN

25000h · 5

PHILIPS



HPI MV

For Highbay Osram / Ledvance

Art. n°	Description
	HQI (110V)
242629	95-250W 13000lm 840 E40 120°
242630	140-400W 20000lm 840 E40 120°
	HB (220-240V)
245894	105W 14000lm 822 E40 300°
245895	150W 21000lm 818 E40 300°
245896	160W 25000lm 822 E40 300°

50000h · 5

OSRAM



HQL/HQI

LEDVANCE

50000h · 5



HB

For public lighting / road Philips B22

Voltage	Art. n°	Wattage	Color	Lumen	Name
B22					
	243312	18W	840	2500lm	TrueForce SOX
100-277V	243313	28W	840	4000lm	TrueForce SOX
	243314	36W	840	5000lm	TrueForce SOX

2 · 25000h

PHILIPS



SOX

For public lighting / road Philips E27

Voltage	Art. n°	Wattage	Color	Lumen	Name
E27					
	243301	17W	730	2800lm	TrueForce Road
	243302	17W	740	3000lm	TrueForce Road
	246836	19W	830	2800lm	TrueForce Road HPL
	246826	19W	840	3000lm	TrueForce Road SON-T
	246840	19W	840	3100lm	TrueForce Road HPL
	246838	24W	830	3800lm	TrueForce Road HPL
	246834	24W	840	4000lm	TrueForce Road SON-T
	246830	24W	840	4000lm	TrueForce Road HPL
	243303	26W	730	4200lm	TrueForce Road
	243304	26W	740	4500lm	TrueForce Road
	246832	33,5W	830	5600lm	TrueForce Road HPL
	246815	33,5W	840	6000lm	TrueForce Road HPL
Mains 230V	238561	13W	830	2000lm	TrueForce Core HPL SON
	238562	13W	840	2000lm	TrueForce Core HPL SON
	238563	18W	830	3000lm	TrueForce Core HPL SON
	238564	18W	840	3000lm	TrueForce Core HPL SON
	238565	26W	830	4000lm	TrueForce Core HPL SON
	238566	26W	840	4000lm	TrueForce Core HPL SON
	240977	36W	830	5500lm	TrueForce Core HPL SON
	240978	36W	840	6000lm	TrueForce Core HPL SON
	235664	21W	830	2850lm	TrueForce HPL ND
	235665	21W	840	3000lm	TrueForce HPL ND
	235666	28W	830	3800lm	TrueForce HPL ND
	235667	28W	840	4000lm	TrueForce HPL ND
	235668	42W	830	5700lm	TrueForce HPL ND
50-60V	246855	23W	727	3600lm	TrueForce Road SON-T
	246857	23W	740	4000lm	TrueForce Road SON-T
	235674	25W	730	4000lm	TrueForce Road SON
	235675	25W	740	4200lm	TrueForce Road SON
70-80V	246848	34W	727	5400lm	TrueForce Road SON-T
	246850	34W	740	6000lm	TrueForce Road SON-T
120-240V	246852	23W	727	3600lm	TrueForce Road SON-T
	246842	23W	740	4000lm	TrueForce Road SON-T
	246844	34W	727	5400lm	TrueForce Road SON-T
	246846	34W	740	6000lm	TrueForce Road SON-T
100-277V	234623	35W	730	5500lm	TrueForce Road

PHILIPS

2 · 25000h



Road Stan.

PHILIPS

5 · 50000h



Road SON

PHILIPS

2 · 50000h



Road

PHILIPS

5 · 70000h



Road SON-T

PHILIPS

2 · 50000h



Road HPL

PHILIPS

1 · 25000h



HPL SON

PHILIPS

5 · 50000h



HPL ND

For public lighting / road Ledvance E27

Voltage	Art. n°	Wattage	Color	Lumen	Name
E27					
	247139	13W	827	1800lm	HQL LED FIL V
	247144	13W	840	2000lm	HQL LED FIL V
	247163	14,5W	827	1800lm	HQL LED P
	247164	14,5W	840	2000lm	HQL LED P
	247147	20W	827	2700lm	HQL LED FIL V
	247151	20W	840	3000lm	HQL LED FIL V
	247159	21W	727	3600lm	NAV LED FIL V
	247160	21W	740	4000lm	NAV LED FIL V
	247165	21,5W	827	2700lm	HQL LED P
Mains 230V	247166	21,5W	840	3000lm	HQL LED P
	247152	24W	827	3600lm	HQL LED FIL V
	247156	24W	840	4000lm	HQL LED FIL V
	247167	29W	827	3600lm	HQL LED P
	247168	29W	840	4000lm	HQL LED P
	247161	35W	727	5400lm	NAV LED FIL V
	247162	35W	740	6000lm	NAV LED FIL V
	247157	38W	827	5400lm	HQL LED FIL V
	247158	38W	840	6000lm	HQL LED FIL V
	247169	41W	827	5400lm	HQL LED P
	247170	41W	840	6000lm	HQL LED P

LEDVANCE

5 · 25000h



NAV

LEDVANCE

5 · 25000h



HQL

LEDVANCE

5 · 60000h



HQL P



For public lighting / road Philips E40

Voltage	Art. n°	Wattage	Color	Lumen	Name
E40					
Mains 230V	246826	19W	840	3000lm	TrueForce Road SON-T
	246834	24W	840	4000lm	TrueForce Road SON-T
	246813	33,5W	840	5600lm	TrueForce Road HPL
	246805	33,5W	840	6000lm	TrueForce Road HPL
	240979	36W	830	5500lm	TrueForce Core HPL SON
	240980	36W	840	6000lm	TrueForce Core HPL SON
	243305	40W	730	7200lm	TrueForce Road
	243306	40W	740	7500lm	TrueForce Road
	235669	42W	830	5700lm	TrueForce HPL ND
	235671	42W	840	6000lm	TrueForce HPL ND
	246821	50W	727	8100lm	TrueForce Road SON-T
	246811	50W	740	9000lm	TrueForce Road SON-T
50-60V	235672	68W	730	11200lm	TrueForce Road SON
80-90V	246824	65W	740	12000lm	TrueForce Road SON-T
85-95V	246828	50W	740	9000lm	TrueForce Road SON-T
120-240V	246817	65W	727	10800lm	TrueForce Road SON-T
	246819	65W	740	12000lm	TrueForce Road SON-T
100-277V	243311	68W	765	11200lm	TrueForce Road

PHILIPS

2 · 50000h



Road HPL



Road

PHILIPS

1 · 25000h



HPL SON

PHILIPS

5 · 50000h



HPL ND

PHILIPS

5 · 70000h



Road SON-T

For public lighting / road Ledvance E40

Voltage	Art. n°	Wattage	Color	Lumen	Name
E40					
Mains 230V	247171	38W	827	5400lm	HQL LED FIL V
	247172	38W	840	6000lm	HQL LED FIL V
	247175	41W	727	7000lm	NAV
	247177	41W	827	5400lm	HQL LED P
	247176	41W	740	7500lm	NAV
	247178	41W	840	6000lm	HQL LED P
	247173	60W	827	8100lm	HQL LED FIL V
	247174	60W	840	9000lm	HQL LED FIL V
	247179	90W	827	11700lm	HQL LED P
	247180	90W	840	13000lm	HQL LED P

LEDVANCE

5 · 25000h



HQL



NAV

LEDVANCE

5 · 60000h



HQL P

PL & DULUX

Noxion Lucent LED PL-C

NOXION

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	G24-d

Art. n°	Description
	2Pins
242033	4.5-9W 472lm 830 G24d-1
242034	4.5-9W 499lm 840 G24d-1
244681	6,5-18W 650lm 830 G24d-2
244682	6,5-18W 700lm 840 G24d-2
244683	9,5-26W 950lm 830 G24d-3
244684	9,5-26W 1000lm 840 G24d-3



30000h · 3

Philips CorePro LED PL-C

PHILIPS

Time	Warranty	CRI	PF	Base
50000h	5 years	80	0.9	G24-d

Art. n°	Description
	2Pins
230343	4,5-13W 830 475lm G24d-1 EM
230345	4,5-13W 840 500lm G24d-1 EM
220774	6,5-18W 830 600lm G24d-2 EM
220775	6,5-18W 840 650lm G24d-2 EM
220776	8,5-26W 830 900lm G24d-3 EM
220781	8,5-26W 840 950lm G24d-3 EM
	4Pins
230344	4,5-13W 830 475lm G24q-1 HF
230346	4,5-13W 840 500lm G24q-1 HF
220779	6,5-18W 830 600lm G24q-2 HF
220780	6,5-18W 840 650lm G24q-2 HF
220777	9-26W 830 900lm G24q-3 HF
220778	9-26W 840 950lm G24q-3 HF



50000h · 5

Noxion Lucent LED PL-S

NOXION

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	G23/2G7



Art. n°	Description
	2P
242035	3.5-5W 367,5lm 827 G23 2P
242036	3.5-5W 367,5lm 830 G23 2P
242037	3.5-5W 402,5lm 840 G23 2P
242038	4.5-9W 540lm 827 G23 2P
242039	4.5-9W 540lm 830 G23 2P
242040	4.5-9W 600lm 840 G23 2P
242044	6-11W 765lm 827 G23 2P
242045	6-11W 765lm 830 G23 2P
	4P
242041	4.5-9W 540lm 827 2G7 4P
242042	4.5-9W 540lm 830 2G7 4P
242043	4.5-9W 600lm 840 2G7 4P
242047	6-11W 765lm 827 2G7 4P
242048	6-11W 765lm 830 2G7 4P
242049	6-11W 850lm 840 2G7 4P

Ledvance PL-S

LEDVANCE

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.7	G23



Art. n°	Description
247793	4-9W 450lm 830 G23 2P
247798	4-9W 500lm 840 G23 2P
247803	6-11W 630lm 830 G23 2P
247609	6-11W 700lm 840 G23 2P

Philips CorePro LED PL-L HF

PHILIPS

Time	Warranty	CRI	PF	Base
30000h	2 years	80	-	2G11



Description	HF	EM/Mains	Mains
8W 960lm 830 2G11 4P	246888	246800	-
8W 1000lm 840 2G11 4P	246891	246801	-
12W 1440lm 830 2G11 4P	246802	246807	-
12W 1500lm 840 2G11 4P	246803	246809	-
16,5W 2000lm 830 2G11 4P	-	246798	-
16,5W 2100lm 840 2G11 4P	230977	246799	-
16,5W 2100lm 865 2G11 4P	230978	-	-
24W 3200lm 830 2G11 4P	234555	-	246883
24W 3400lm 840 2G11 4P	234556	-	246885
24W 3400lm 865 2G11 4P	234557	-	-

Ledvance PL-L

LEDVANCE

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	2G11



Art. n°	Description
248035	8-18W 900lm 830 2G11 4P
248040	8-18W 1000lm 840 2G11 4P
248043	12-24W1350lm 830 2G11 4P
248048	12-24W 1500lm 840 2G11 4P
247790	18-36W 2070lm 830 2G11 4P
248051	18-36W 2300lm 840 2G11 4P
248056	25-55W 2950lm 830 2G11 4P
248061	25-55W 3250lm 840 2G11 4P

GX53

Osram Star GX53

OSRAM



Art. n°	Description
244094	4.9-40W 470lm 827 GX53
244095	4.9-40W 470lm 840 GX53

GU10

Noxion Lucent LED Spot PAR16 GU10



Art. n°	Description
242299	2.4-35W 230lm 827 36D
242300	2.4-35W 230lm 830 36D
244565	3.7-35W 270lm 840 36D
242301	3.6-50W 350lm 830 36D
242302	3.6-50W 350lm 840 36D
242053	4.8-60W 450lm 827 36D
242298	5-60W 520lm 840 36D
241958	5.5-75W 560lm 830 36D
	Dimmable
241957	3-35W 230lm 827 36D Dim
243403	3-35W 230lm 830 36D Dim
242052	4-50W 345lm 827 36D Dim
241648	4-50W 345lm 830 36D Dim
244564	4-50W 345lm 840 36D Dim

Philips CorePro LEDspot MV GU10 230V



Art. n°	Description
231001	3,1-25W 215lm 827 36D
230953	3,1-25W 225lm 830 36D
230954	3,1-25W 230lm 840 36D
231003	3,5-35W 255lm 827 36D
230955	3,5-35W 265lm 830 36D
230956	3,5-35W 275lm 840 36D
231002	4,6-50W 355lm 827 36D
230957	4,6-50W 370lm 830 36D
230958	4,6-50W 390lm 840 36D
242406	6.5-65W 460lm 830 36D
242405	6.5-65W 485lm 840 36D
241889	6.7-90W 670lm 830 60D
	Dimmable
230948	4-35W 250lm 827 36D Dim
230949	4-35W 260lm 830 36D Dim
230959	4-35W 270lm 840 36D Dim
230950	5-50W 350lm 827 36D Dim
242380	5-50W 365lm 830 36D Dim
242381	5-50W 380lm 840 36D Dim

Ledvance Performance PAR16 GU10



Art. n°	Description
247893	2,6-35W 230lm 827 36D
247898	2,6-35W 230lm 830 36D
247928	2,6-35W 230lm 840 36D
247903	4,3-50W 350lm 827 36D
247918	4,3-50W 350lm 827 120D
247908	4,3-50W 350lm 830 36D
247923	4,3-50W 350lm 830 120D
247913	4,3-50W 350lm 840 36D
248320	4,3-50W 350lm 840 120D
247933	6,9-80W 575lm 827 36D
247938	6,9-80W 575lm 827 60D
247945	6,9-80W 620lm 827 120D
248124	6,9-80W 575lm 830 36D
247940	6,9-80W 575lm 830 60D
247950	6,9-80W 620lm 830 120D
247936	6,9-80W 575lm 840 36D
248152	6,9-80W 575lm 840 60D
247941	6,9-80W 620lm 840 120D
247944	9,6-100W 750lm 827 36D
247947	9,6-100W 750lm 830 36D
247951	9,6-100W 750lm 840 36D

Philips MASTER Value LEDspot PAR16 GU10



Art. n°	Description
242359	3.7-35W 270lm 927 36D Dim
242360	3.7-35W 270lm 927 60D Dim
230364	3.7-35W 270lm 930 36D Dim
242361	3.7-35W 270lm 930 60D Dim
230366	3.7-35W 285lm 940 36D Dim
230367	3.7-35W 285lm 940 60D Dim
242362	4.9-50W 355lm 927 36D Dim
230369	4.9-50W 355lm 927 60D Dim
230370	4.9-50W 365lm 930 36D Dim
230371	4.9-50W 365lm 930 60D Dim
230372	4.9-50W 380lm 940 36D Dim
230373	4.9-50W 380lm 940 60D Dim
237176	6.2-80W 575lm 930 36D Dim
237513	6.2-80W 575lm 940 36D Dim

Ledvance Performance Dim PAR16 GU10



Art. n°	Description
247779	3,4-35W 230lm 927 36D Dim
247785	3,4-35W 230lm 930 36D Dim
247788	3,4-35W 230lm 940 36D Dim
247795	4,5-50W 350lm 927 36D Dim
247800	4,5-50W 350lm 930 36D Dim
247808	4,5-50W 350lm 940 36D Dim
247845	7,9-51W 650lm 927 120D Dim
247850	7,9-51W 650lm 930 120D Dim
247854	7,9-51W 650lm 940 120D Dim
247815	8,3-80W 575lm 927 36D Dim
247830	8,3-80W 575lm 927 60D Dim
247819	8,3-80W 575lm 930 36D Dim
247834	8,3-80W 575lm 930 60D Dim
247825	8,3-80W 575lm 940 36D Dim
247840	8,3-80W 575lm 940 60D Dim
247859	9,6-100W 750lm 827 36D Dim
247865	9,6-100W 750lm 830 36D Dim
247870	9,6-100W 750lm 840 36D Dim

25000h · 5 · CRI90

Ledvance Superior PAR16 GU10



Art. n°	Description
247744	3,4-35W 230lm 927 36D Dim
247750	3,4-35W 230lm 930 36D Dim
247754	3,4-35W 230lm 940 36D Dim
247760	6-50W 350lm 927 36D Dim
247765	6-50W 350lm 930 36D Dim
247770	6-50W 350lm 930 36D Dim
247775	9,5-80W 575lm 927 36D Dim
248115	9,5-80W 575lm 930 36D Dim
248119	9,5-80W 575lm 940 36D Dim

40000h · 5 · CRI90

Noxion Perfect Color LED GU10



Art. n°	Description
245657	3-35W 230lm 930 60D Dim
241672	4-35W 310lm 927 36D Dim
242051	4-35W 310lm 927 60D Dim
243422	4-35W 310lm 930 36D Dim
241955	5.5-50W 345lm 927 36D Dim
241645	5.5-50W 345lm 927 60D Dim
242050	5.5-50W 345lm 930 36D Dim
241646	5.5-50W 345lm 930 60D Dim
243440	5.5-50W 345lm 940 36D Dim
241647	5.5-50W 345lm 940 60D Dim

40000h · 4 · CRI97

Philips MASTER LEDspot ExpertColor PAR16 GU10



Art. n°	Description
230350	3.9-35W 265lm 927 25D Dim
230351	3.9-35W 265lm 927 36D Dim
230352	3.9-35W 280lm 930 25D Dim
230353	3.9-35W 280lm 930 36D Dim
230354	3.9-35W 300lm 940 25D Dim
230355	3.9-35W 300lm 940 36D Dim
230356	5.5-50W 355lm 927 25D Dim
230357	5.5-50W 355lm 927 36D Dim
230358	5.5-50W 375lm 930 25D Dim
230359	5.5-50W 375lm 930 36D Dim
230360	5.5-50W 400lm 940 25D Dim
230361	5.5-50W 400lm 940 36D Dim

40000h · 5 · CRI97

GU4

Ledvance Performance MR11 GU4



Art. n°	Description
247976	2,5-20W 184lm 827 36D
247965	2,5-20W 184lm 840 36D
247961	3,2-20W 184lm 927 36D Dim
247971	4,2-35W 345lm 827 36D
247981	4,2-35W 360lm 840 36D
247957	4,5-35W 345lm 927 36D Dim

15000h · 5 · CRI90

GU5.3

Noxion Lucent Spot MR16 GU5.3

Art. n°	Description
242055	2.5-20W 270lm 827 36D
242056	4-35W 400lm 827 36D
244207	3.4-35W 410lm 840 36D
244367	7.8-50W 621lm 827 36D
244206	6.1-50W 621lm 830 36D
244205	6.1-50W 621lm 840 36D
	Dimmable
245659	4.4-35W 345lm 827 36D Dim
242304	4.4-35W 345lm 827 60D Dim
245658	4.4-35W 345lm 830 36D Dim
242305	4.4-35W 345lm 830 60D Dim
242303	4.4-35W 345lm 840 36D Dim
244369	7.5-50W 621lm 827 36D Dim
244368	7.5-50W 621lm 827 60D Dim
242306	7.5-50W 621lm 830 36D Dim
242307	7.5-50W 621lm 830 60D Dim
242308	7.5-50W 621lm 840 60D Dim

NOXION



25000h · 3

Ledvance Performance Dim MR16 GU5.3

Art. n°	Description
247986	3,4-20W 230lm 927 36D Dim
248037	3,4-20W 230lm 930 36D Dim
248042	3,4-20W 230lm 940 36D Dim
248047	5-35W 345lm 927 36D Dim
247992	5-35W 345lm 930 36D Dim
248053	5-35W 345lm 940 36D Dim
248058	8-50W 621lm 927 36D Dim
247994	8-50W 621lm 930 36D Dim
248062	8-50W 621lm 940 36D Dim

LEDVANCE



25000h · 5 · CRI90

Ledvance LedSpot MR16 GU5.3

Art. n°	Description
247598	2,6-20W 210lm 827 36D
248073	2,6-20W 210lm 830 36D
248076	2,6-20W 210lm 840 36D
248321	3,8-35W 345lm 827 36D
247599	3,8-35W 345lm 830 36D
248080	3,8-35W 350lm 840 36D
248086	6,3-50W 621lm 827 36D
248067	6,3-50W 621lm 830 36D
248090	6,3-50W 621lm 840 36D

LEDVANCE



15000h · 4

Osram Transformer Halogen/LED

Art. n°	Description
130076	Osram HTM - 70VA
130045	Osram HTM - 105VA
130046	Osram HTM - 150VA
202245	Osram ET-Parrot - 70VA

OSRAM



GY6.35

Noxion Bolt LED GY6.35

Art. n°	Description
241794	2,6-28W 300lm 830

NOXION



15000h · 2

Ledvance LED GY6.35

Art. n°	Description
248319	2,6-28W 300lm 827 Dim
247602	4-40W 470lm 827
242671	4,5-40W 470lm 827 Dim

LEDVANCE



15000h · 4

G9 & G4

Noxion Bolt LED G9

Art. n°	Description
241796	1.9-20W 200lm 827
241789	2,6-30W 320lm 827
241786	3,5-32W 350lm 827 Dim
241797	3,8-40W 470lm 827
241801	3,8-40W 470lm 830
241790	4,8-48W 600lm 827
241792	4,8-48W 600lm 830



15000h · 2

Philips CorePro Capsule LED G9

Art. n°	Description
242438	2-25W 220lm 827
242439	2-25W 300lm 830
239401	2,6-25W 300lm 827 Dim
242440	3,2-40W 400lm 827
242441	3,2-40W 400lm 830
239402	4-40W 480lm 827 Dim
237345	4,8-60W 570lm 827
237346	4,8-60W 570lm 830



15000h · 2

Noxion Bolt LED G4

Art. n°	Description
241798	0,9-10W 100lm 827
241802	0,9-10W 100lm 830
241799	1,8-21W 200lm 827
241800	1,8-21W 200lm 830
241795	2-21W 200lm 827 Dim



15000h · 2

Ledvance Performance LED G4

Art. n°	Description
247713	0,9-10W 100lm 827
247709	1,8-20W 200lm 827
247704	2-20W 200lm 827 Dimmable
248318	2,6-28W 300lm 827



15000h · 4

R7s

Philips CorePro LEDlinear R7s

Art. n°	Description
	78mm
230945	7.5-60W 950lm 830
231201	7.5-60W 1000lm 840
	118mm
242454	8,1-60W 900lm 830
242455	8,1-60W 970lm 840
224255	14-100W 1600lm 830 Dim
224256	14-100W 1800lm 840 Dim
230946	14-120W 2000lm 830 Dim
231200	14-120W 2000lm 840 Dim
236117	17,5-150W 2460lm 830 Dim
236118	17,5-150W 2460lm 840 Dim



78mm



118mm

15000h

Ledvance Performance R7s

Art. n°	Description
	78mm
247766	7,3-60W 806lm 827
248064	8-75W 1055lm 827
247757	9,5-75W 1055lm 827 Dim
247611	11,5-100W 1521lm 827
247763	12-100W 1521lm 827 Dim
247771	13-100W 1521lm 827
	118mm
247776	15-125W 2000lm 827
247603	15-125W 2000lm 827 Dim
247616	18,5-150W 2452lm 827
247604	18,5-150W 2452lm 827 Dim



78mm



118mm

15000h · 4

AR111

Noxion Lucent LED Spot AR111 G53 & GU10

Art. n°	Description
	G53
242290	7.3-50W 530lm 930 24D Dim
242291	7.3-50W 530lm 927 40D Dim
242292	7.3-50W 530lm 930 40D Dim
244208	11.5-75W 880lm 927 24D Dim
242293	11.5-75W 880lm 930 24D Dim
242294	11.5-75W 880lm 927 40D Dim
241960	11.5-75W 880lm 930 40D Dim
	G53 PRO
242311	12-50W 550lm 927 G53 40D (warranty 3 years)
	GU10 PRO
242314	12-50W 600lm 927 GU10 40D Dim (warranty 3 years)
242315	12-50W 620lm 930 GU10 40D Dim (warranty 3 years)
242316	15-75W 780lm 927 GU10 40D Dim (warranty 3 years)
242317	15-75W 800lm 930 GU10 40D Dim (warranty 3 years)

NOXION



G53



GU10



G53 PRO



GU10 PRO

45000h | 5 | CRI90

Philips Master LED Spot AR111 G53

Art. n°	Description
	LED spot Expert Color
242443	11-50W 600lm 927 9D
242442	11-50W 600lm 927 24D
242453	11-50W 600lm 927 40D
242446	11-50W 620lm 930 9D
242444	11-50W 620lm 930 24D
242445	11-50W 620lm 930 40D
242447	15-75W 830lm 927 24D
242448	15-75W 850lm 927 45D
242449	15-75W 850lm 930 24D
242450	15-75W 870lm 930 45D
242451	15-75W 980lm 940 45D
246843	20-100W 1270lm 927 24D
246845	20-100W 1270lm 927 45D
246405	20-100W 1270lm 930 24D
246835	20-100W 1270lm 930 45D
246837	20-100W 1270lm 940 24D
246839	20-100W 1270lm 940 45D

PHILIPS



Expert Color



LV

45000h | 5 | CRI90

B22

Ledvance Performance B22d

Art. n°	Description
	Shape A
248302	8,5-60W 806lm 827 Frosted
246267	8,5-60W 806lm 827 Frosted Dim
246268	11-100W 1521lm 827 Frosted
245517	11-100W 1521lm 865 Frosted Dim
	Candle B22d
245518	4-40W 470lm 827 Clear Filament
240793	4-40W 470 827 Frosted
	Candle B15d
245519	4-40W 470lm 827 Clear Filament
	P45
247652	4-40W 470lm 827 Frosted

LEDVANCE



A



Candle



B22d

15000h

STICK

Ledvance Stick Classic

Art. n°	Description
247615	8-60W 806lm 827
247695	8-60W 806lm 840
247618	9-75W 1050lm 827
248103	9-75W 1050lm 840
247927	11-75W 1000lm 927
247932	11-75W 1050lm 940

LEDVANCE



15000h | 4 | CRI90



E27

Noxion Lucent LED A60

Art. n°	Description
241938	5,5-40W 470lm 827
241939	5,5-40W 470lm 830
242030	5,5-40W 470lm 840
244551	7-40W 470lm 827 Dim
242285	8,5-60W 806lm 827 Dim
242283	8,5-60W 806lm 827
242031	8,5-60W 806lm 830
241940	8,5-60W 806lm 840
241941	11-75W 1055lm 827
241942	11-75W 1055lm 830
241943	11-75W 1055lm 840
241944	12-75W 1055lm 827 Dim
241945	14-100W 1521lm 827 Dim
242026	15-100W 1521lm 827
242284	14-100W 1521lm 830
241910	15-100W 1521lm 840



15000h · 2

Noxion Lucent Filament LED A60

Art. n°	Description
	A60
241948	4.5-40W 470lm 827
244561	4,5-40W 470lm 840
241591	7-60W 806lm 827
244562	7-60W 680lm 827 Mirror
244560	7-60W 806lm 840
242286	8-75W 1055lm 827
	A60 Dimmable
240926	7-50W 630lm 820 Dim Amber
241949	7-60W 806lm 827 Dim
244559	8,5-75W 1055lm 827 Dim
	A70
241908	12-100W 1521lm 827
	A70 Dimmable
241907	13-100W 1521lm 827 Dim



15000h · 2

Philips CorePro LED A60

Art. n°	Description
242484	4,5-40W 470lm 830
230879	5-40W 470lm 840
224175	5,5-40W 470lm 827
224177	8-60W 806lm 827
224212	7-60W 806lm 830
230878	7,5-60W 806lm 840
224262	11-75W 1055lm 827
219799	10-75W 1055lm 830
220200	10-75W 1055lm 840
219937	13-100W 1521lm 827
224263	13-100W 1521lm 830
220202	13-100W 1521lm 840
242514	13-120W 2000lm 827
242516	13-120W 2000lm 840
242517	13-120W 2000lm 865
242518	17,5-150W 2452lm 827
242520	17,5-150W 2452lm 840
242521	17,5-150W 2452lm 865



15000h · 2

Ledvance Classic A60

Art. n°	Description
247966	4-40W 470lm 827
247806	4-40W 470lm 840
247987	6,5-60W 806lm 827
247817	6,5W-60W 806lm 840
247996	7,5-75W 1055lm 827
247832	7,5-75W 1055lm 840
247843	11-100W 1521lm 827
247846	11-100W 1521lm 840
	Dimmable
247716	4,2-40W 470lm 927 Dim
248075	5,8-60W 806lm 940 Dim
247720	7,2-60W 806lm 927 Dim
247920	7,5-75W 1055lm 927 Dim
247924	7,5-75W 1055lm 940 Dim
247698	11-100W 1521lm 927 Dim
247702	11-100W 1521lm 940 Dim
	With Sensor
245900	4,9W-40W 470lm 827
245901	7,3-60W 806lm 827



15000h · 4 · CRI90

P45

Noxion Lucent Classic LED Lustre P45

Art. n°	Description
244558	1,4-15W 136lm 827 E27 Clear
242287	2,5-25W 250lm 827 E14 Clear
242029	2,5-25W 250lm 827 E27 Clear
241589	2,5-25W 250lm 827 E14 Dim Clear
242282	2,5-25W 250lm 827 E27 Dim Clear
241946	3-25W 250lm 827 E14 Frosted
241590	3-25W 250lm 827 E27 Frosted
240928	4-40W 350lm 827 E27 Dim Amber
242288	4,5-40W 470lm 827 E14 Clear
244563	4,5-40W 400lm 827 E14 Mirror
242032	4,5-40W 470lm 827 E14 Dim Clear
242289	4,5-40W 470lm 827 E27 Clear
241950	4,5-40W 470lm 827 E27 Dim Clear
241947	5-40W 470lm 827 E14 Frosted
244204	5-40W 470lm 827 E27 Frosted

NOXION



15000h

Philips CorePro LEDluster P45

Description		
	E14	**E27**
2-25W 250lm 827 E14 Clear	242345	242348
2,2-25W 250lm 827 E14 Frosted	242369	242371
2-25W 250lm 840 E14 Clear	242538	-
2,8-25W 250lm 840 E14 Frosted	242548	-
4,3-40W 470lm 827 E14 Clear	242415	242416
4,3-40W 470lm 827 E14 Frosted	242370	242372
4,3-40W 470lm 840 E14 Clear	242539	-
5-40W 470lm 840 E14 Frosted	242549	-
5-40W 470lm 865 E14 Frosted	242550	-
6,5-60W 806lm 827 E14 Clear	242540	242545
6,5-60W 806lm 827 E14 Frosted	242541	242546
6,5-60W 806lm 840 E14 Clear	242542	-
6,5-60W 806lm 840 E14 Frosted	242543	242547
6,5-60W 806lm 865 E14 Frosted	242544	-

PHILIPS



15000h

CANDLE

Noxion Lucent Filament LED B35 & BA35

Art. n°	Description
	B35
241951	2.5-25W 250lm 827 E14
241593	2,5-25W 250lm 827 E14 Dim
240931	4.1-32W 350lm 822 E14 Amber
241592	4,5-40W 470lm 827 E14
241952	4,5-40W 470lm 827 E14 Dim
	BA35
241953	2.5-25W 250lm 827 E14
240932	4.1-32W 350lm 822 E14 Amber
241954	4.5-40W 470lm 827 E14 Dim

NOXION



15000h

Philips CorePro LEDcandle B35 & BA35

Art. n°	Description
	B35 Frosted
242367	2,2-25W 250lm 827 FRG
242324	2,8-25W 250lm 827
242497	2,8-25W 250lm 840
242368	4,3-40W 470lm 827 FRG
242323	5-40W 470lm 827
242498	5-40W 470lm 840
242499	5-40W 470lm 865
242534	6,5-60W 806lm 827 FRG
242537	6,5-60W 806lm 840 FRG
242536	6,5-60W 806lm 865 FRG
242364	7-60W 806lm 827
242500	7-60W 806lm 840
242501	7-60W 806lm 865
	B35 Clear
242342	2-25W 250lm 827
242532	2-25W 250lm 840
242414	4,3-40W 470lm 827
242533	4,3-40W 470lm 840
242531	6,5-60W 806lm 827
242535	6,5-60W 806lm 840
	ST35 Clear
242344	2-25W 250lm 827
	BA35 Frosted
242373	2,2-25W 250lm 827
	BA35 Clear
242343	2-25W 250lm 827

PHILIPS



15000h

DIM-TO-WARM

Noxion Dim-to-warm

Art. n°	Description
242057	A60 - 4,5-40W 470lm 822-827 Clear E27
241667	A60 - 7-50W 600lm 922-927 Frosted E27
242058	A60 - 7-60W 806lm 822-827 Clear E27
241909	A60 - 9-60W 806lm 822-827 Frosted E27
240933	BA35 - 5,5-40W 470lm 822-827 Clear E14
240936	P45 - 5,5-40W 470lm 822-827 Clear E14
240935	P45 - 5,5-40W 470lm 822-827 Clear E27
242054	GU10 - 3.7-35W 275lm 922-927 36D
241959	GU10 - 5.1-50W 385lm 922-927 36D
244361	AR111 - 7.3-50W 550lm 918-927 24D G53 (warranty 5 years)
244362	AR111 - 7.3-50W 550lm 918-927 40D G53 (warranty 5 years)

NOXION



15000h · 2 · CRI90

Philips Dimtone

Art. n°	Description
242374	A60 - 3,4-40W 470lm 922-927 Frosted E27
246194	A60 - 3,4-40W 470lm 922-927 Clear E27
242375	A60 - 5,9-60W 806lm 922-927 Frosted E27
246601	A60 - 5,9-60W 806lm 922-927 Clear E27
242418	A60 - 7,2-75W 1055lm 922-927 Frosted E27
246620	A60 - 7,2-75W 1055lm 922-927 Clear E27
242421	A60 - 10,5-100W 1521lm 922-927 Frosted E27
246631	A60 - 10,5-100W 1521lm 922-927 Clear E27
246547	P45 - 2,5-25W 340lm 922-927 Clear E14
246192	P45 - 2,5-25W 340lm 922-927 Clear E27
246572	P45 - 3,5-40W 470lm 922-927 Clear E14
246580	P45 - 3,5-40W 470lm 922-927 Frosted E27
246609	P45 - 5,9-60W 806lm 922-927 Clear E14
246613	P45 - 5,9-60W 806lm 922-927 Clear E27
246536	B35 - 2,5-25W 340lm 922-927 Clear E27
246556	B35 - 3,4-40W 470lm 922-927 Clear E14
246606	B35 - 5,9-60W 806lm 922-927 Clear E14
246542	BA35 - 2,5-25W 340lm 922-927 Clear E14
246560	BA35 3,4-40W 470lm 922-927 Clear E14
242479	ST64 - 5,9-60W 806lm 922-927 Clear E27
242478	G93 - 5,9-60W 806lm 922-927 Clear E27
230375	GU10 - 4,9-50W 355lm 922-927
242363	GU10 - 3,7-35W 270lm 922-927

PHILIPS



25000h · CRI90

REFLECTOR

Philips CorePro LEDspot Reflector

Art. n°	Description
	R39
234515	1.8-30W 150lm 827 E14 36D Ø39mm
	R50
234514	1.4-25W 135lm 827 E14 36D Ø50mm
234516	2.8-40W 210lm 827 E14 36D Ø50mm
234509	4.3-60W 320lm 827 E14 36D Dim Ø50mm
	R63
234511	3-40W 210lm 827 E27 36D Ø63mm
234510	4.5-60W 345lm 827 E27 36D Dim Ø63mm
	R80
234512	4-60W 345lm 827 E27 36D Ø80mm
234513	8-100W 670lm 827 E27 36D Ø80mm
	PAR38
242379	9-60W 750lm 827 E27 25D Ø122mm

PHILIPS



15000h · 2

VINTAGE

Noxion Lucent Filament Bulb

Art. n°	Description
	ST64
242281	4-40W 470lm 827 E27
241666	6.5-60W 806lm 827 E27
240929	7.2-50W 630lm 822 E27 Dim Amber
240927	8.1-55W 720lm 825 E27 Dim Amber
	G95
240934	7.3-60W 806lm 827 E27
242028	8-60W 806lm 827 E27 Dim
	G125
240930	7.2-50W 630lm 822 E27 Dim Amber

NOXION



15000h · 2





Tillbehör & Nödbelysning

Noxion LED Dimmer

Art. n°	Description
	Dimmer
238539	Cord Dimmer switch RLC 0-50W (remote control)
238453	Automatic Dimmer Switch RLC 0-300W
238537	Duo Dimmer Switch RLC 0-100W
	Cover Plate for LED Dimmer
238541	Cover plate - Hard Edge White (compatible with Automatic)
238540	Cover plate - Soft Edge White (compatible with Automatic)
239512	Double Cover plate - Soft Edge White (compatible with Duo)


238539


238453


238537


238541

238540


239512

LED Accessories

Art. n°	Description
	Power cable
160922	Cable 0,5M male (A)
232610	Cable 2M - EURO (B)
	Cable
223469	Cable 0,5M - GST18 male (C)
140284	Cable 2M - GST18 male/female (D)
140271	Cable 3M - GST18 male/female (D)
152541	Cable universal 3M (E)
	Other
239375	Connector Quick with 3-pole (F)
232603	GU10 connector (G)
	Wago Cage Clamp (H)
245999	Wago 221-412 | 2 Wire Connection (Pack 100/u)
246000	Wago 221-413 | 3 Wire Connection (Pack 50/u)
246001	Wago 221-415 | 5 Wire Connection (Pack 50/u)
	Wago Push Wire (I)
246003	Wago 2273-202 | 2 Wire Connection (Pack 100/u)
246005	Wago 2273-203 | 3 Wire Connection (Pack 100/u)
246002	Wago 2273-204 | 4 Wire Connection (Pack 100/u)
246004	Wago 2273-205 | 5 Wire Connection (Pack 100/u)


A


B


C


D


E


F


G


H


I

Noxion Emergency lighting

Art. n°	Description
239389	3.5W 3h Emergency Exit Lighting - 4 directions
245470	1W 3h Emergency Sign Lighting - 4 directions
245467	8.5W 500lm 6500K 352x110mm White Emergency 3h
245469	3W 240lm 6500K Ø140mm White Emergency 3h
	Accessories
239391	Suspension kit 2M for Exit Lighting
239390	Recessed frame for Exit Lighting
245468	Semi Recessed Kit for Emergency Bulkhead
245471	Side kit for Sign lighting


239389


245470


245467


245469

3H

Normagrup Emergency lighting

Art. n°	Description
	Ecolight VIA
208880	3.4W 200lm 1h auto test | for LED recessed white
231715	3.4W 200lm 1h auto test | for LED surface mount white
243105	3.4W 200lm 1h auto test | for LED recessed black
243107	5 picto plates (BE/2x LE-RE/UE/White)
	Ecolight EXCELLENCE
219899	4W 240Lm 1h auto test | IP42 IK04
208912	Picto + alu frame Arrow left
208911	Picto + alu frame Arrow up
239582	5 picto plates (BE/2x LE-RE/UE/White)
	Ecolight EUROPRISMA
162754	3.3W 270lm 1h auto test | surface mount
243109	Picto frame Arrow left
243110	Picto frame Arrow right
208925	Picto frame Arrow up


208880


231715


Via


Excellence


Europrisma

1H



List of symbols

- Dimmable
- Dimmable 1-10V
- Years of warranty
- Easy installation
- Cable lenght
- Unified glare rating
- Rotation
- Emergency module
- Colour rendering index
- Flikkering free
- Lifespan
- Glass
- Impact resistance rating
- GRP (Fiberglass reinforced plastic housing)
- Waterproof rating
- Throughwiring
- Tilting
- Incl. Starter
- Dali driver
- Color RGB
- Daylight sensor
- Controlled color temperature
- Motion sensor
- Output
- Options available on the site
- New product

LAMPORNU.SE

PROFESSIONAL



www.lampornu.se 08-44687012 pro@lampornu.se